

MASTER SUBJECT INDEX

| | |
|--|--|
| Abrin | 35 (1973) 257 |
| Acetaldehyde | |
| effect on NADH transport | 37 (1973) 89 |
| metabolism effect of NAD levels | 40 (1974) 317 |
| 4-Acetamido-4'-isothiocyanate-stilbene-2,2'-disulfonic acid (SITS) | 34 (1973) 347 |
| Acetoacetate | |
| role in transfer of acetyl units | 37 (1973) 231 |
| — succinate CoA-transferase | 37 (1973) 155 |
| Acetolactate carboxy-lyase | 31 (1973) 39 |
| Acetylcholine | 31 (1973) 193 |
| 2-Acetolactate carboxy-lyase | |
| Acetonitrile | 39 (1973) 79 |
| acetyl-hydrolase | 35 (1973) 220 |
| receptor | 32 (1973) 143 |
| X-ray study | 40 (1974) 130 |
| Acetylcholinesterase | 32 (1973) 62; 35 (1973) 220; 36 (1973) 12, 17; 38 (1973) 83; 39 (1974) 118 |
| and membrane fluidity | 38 (1973) 101 |
| Acetyl-CoA | 39 (1974) 17 |
| effect on pyruvate carboxylase | 37 (1973) 51 |
| role of acetoacetate in transfer | 37 (1973) 231 |
| Acetyl-CoA carboxylase | 32 (1973) 19; 38 (1973) 27 |
| Acetylethylcarbinol | 31 (1973) 39 |
| N-Acetyl-D-glucosamine | 39 (1974) 157 |
| - binding proteins | 40 (1974) 62 |
| N-Acetylglucosaminidases | 34 (1973) 120 |
| N-Acetyl- β -hexosaminidase | 39 (1974) 171 |
| Acetyl kinase | 37 (1973) 203 |
| N-Acetyl mannosamine | 39 (1974) 176 |
| N-Acetyl-D-mannosaminuronic acid | 40 (1974) 309 |
| Acetyl- β - methylcholine | 39 (1974) 61 |
| N-Acetyl-D-neuraminic acid (NANA) | 34 (1973) 350; 39 (1974) 176 |
| derivatives resistant to neuraminidase | 40 (1974) 250 |
| Acetyl-phenylalanyl-tRNA | 32 (1973) 152 |
| Acetylsalicylic acid | 34 (1973) 179 |
| N-Acetyl-L-tryptophan, conformation in chymotrypsin | 36 (1973) 330 |
| N-Acetyl-L-tryptophan amide | 33 (1973) 181 |
| Acid phosphatase | 31 (1973) 123; 35 (1973) 51 |
| Acid protease of <i>Sorghum</i> | 40 (1974) 287 |
| Acidic lipoproteins | 34 (1973) 48 |
| Acidic peptides | 33 (1973) 135 |
| Acridine dyes | 39 (1974) 67 |
| ACTH | |
| binding protein | 36 (1973) 109 |
| effect on adrenal carcinoma cells | 38 (1974) 197 |
| species of rat pituitary gland | 37 (1973) 197 |
| Actin | |
| in <i>Physarum</i> cytoplasm | 34 (1973) 40 |
| interaction with myosin | 34 (1973) 10 |
| regulation of platelet contraction | 34 (1973) 315 |
| Actinomycin D | |
| effect on DNA polymerase | 35 (1973) 24 |
| entrapment in liposomes | 36 (1973) 292 |
| Activation peptide of trypsinogen | 34 (1973) 251 |

| | |
|---|------------------------------|
| Active transport in <i>E. coli</i> | 35 (1973) 217 |
| <i>N</i> -Acyl L-alanyl-L-alanyl-L-alanine <i>p</i> -nitroanilide | 40 (1974) 353 |
| Adenine nucleotide dependent enzymes | 38 (1974) 254 |
| effect on ribulose-1,5-diphosphate carboxylase | 37 (1973) 329 |
| Adenocorticotrophic hormone, see <i>ACTH</i> | |
| Adenosine 3', 5'-cyclic monophosphate, see 3', 5'-cyclic AMP | |
| Adenosine diphosphate, see <i>ADP</i> | |
| Adenosine diphosphate N ₁ -oxide (ADP-NO) | 33 (1973) 33 |
| Adenosine diphosphoribose (ADPR) | 39 (1974) 21 |
| Adenosine 5'- <i>O</i> -(1-thio-tri-phosphate) | 40 (1974) 241 |
| Adenosine triphosphatase (ATPase) | 37 (1973) 338; 40 (1974) 149 |
| affinity for Na ⁺ | 38 (1974) 325 |
| calcium activation in <i>E. coli</i> membranes | 32 (1973) 30 |
| cation transport | 33 (1973) 267 |
| complex in <i>E. coli</i> membranes | 35 (1973) 217 |
| energy linked conformational changes | 36 (1973) 87 |
| interaction of myosin and ATP | 33 (1973) 161 |
| membrane fluidity | 38 (1973) 101 |
| mitochondrial | 38 (1974) 234 |
| of myotonic rats | 34 (1973) 163 |
| of platelet contractile system | 34 (1973) 315 |
| study of proton translocation | 40 (1974) 1 |
| Adenosine triphosphate, see <i>ATP</i> | |
| Adenosine 5'- <i>O</i> -triphosphate | 40 (1974) 241 |
| Adenosine triphosphate N ₁ -oxide (ATP-NO) | 33 (1973) 33 |
| <i>S</i> -Adenosylmethionine decarboxylase | 40 (1974) 321 |
| <i>S</i> -Adenosylmethionine : protein-lysine methyl transferase | 35 (1973) 236 |
| Adenovirus uncoating | 35 (1973) 15 |
| Adenyl cyclase | 31 (1973) 73, 113 |
| effect of glucose | 33 (1973) 311 |
| Adenylic acid (polynucleotide), see <i>Poly-A</i> | |
| Adjuvant-active mycobacterial fractions | 35 (1973) 317 |
| ADP | |
| affinity for atractyloside | 31 (1973) 15 |
| analogues in photophosphorylation | 33 (1973) 293 |
| binding to glutamate dehydrogenase | 31 (1973) 251 |
| effect on | |
| fluorescence quenching | 32 (1973) 91 |
| glyceraldehyde-3-phosphate dehydrogenase | 33 (1973) 151 |
| electron transport | 39 (1974) 345 |
| exchange | 39 (1973) 133 |
| linkage to succinic thiokinase | 31 (1973) 317 |
| stimulation of respiration | 39 (1974) 9 |
| transport in mitochondria | 40 (1974) 72 |
| glucose | 36 (1973) 157 |
| ribose | 37 (1973) 228 |
| ADP/Mg ²⁺ ratios and kinase activity | 34 (1973) 243 |
| Adrenal carcinoma cells | 38 (1974) 197 |
| Adrenal medulla dopamine- β -hydroxylase | 34 (1973) 140 |
| Adrenalectomized rats | 36 (1973) 253 |
| α -Adrenergic receptor, phospholipid synthesis | 34 (1973) 198 |
| Adrenergic synaptosomes | 31 (1973) 193 |
| Affinity chromatography | |
| immobilization of adenine-containing compounds | 37 (1973) 134 |
| NAD binding to polymers | 38 (1974) 320 |
| of | |
| acetylcholinesterase | 35 (1973) 220 |
| <i>N</i> -acetyl D-glucosamine-binding proteins | 40 (1974) 62 |

- acid protease of *Sorghum* 40 (1974) 287
 adenosine triphosphatase 37 (1973) 338
 α_1 -antitrypsin 32 (1973) 243
 estradiol receptor 35 (1973) 289
 α -fetoprotein 32 (1973) 335
 glyceraldehyde-3-phosphate dehydrogenase 34 (1973) 280
 lactate dehydrogenase 35 (1973) 19, 223
 NAD-linked dehydrogenases 39 (1974) 190
 phytohaemagglutinin 34 (1973) 58
 ribonuclease 31 (1973) 181
 troponin 40 (1974) 253
 trypsin 31 (1973) 149
 renin 34 (1973) 189
 Sepharose derivatives 33 (1973) 70
 Affinity labelling of adenine nucleotide dependent enzymes 38 (1974) 254
 Aflatoxin B₁ 32 (1973) 347; 36 (1973) 261
 L-Alanine, effect on pyruvate kinase 36 (1973) 305
 Alanyl-tRNA 39 (1974) 359
 Albumin
 antibodies 31 (1973) 348
 -bilirubin complex 33 (1973) 320
 binding of unsaturated retina free fatty acids 40 (1974) 53
 CD-study 33 (1973) 305
 of denaturation 40 (1974) 18
 CNBr fragments 34 (1973) 74
 EPR-study 36 (1973) 351
 Alcohol dehydrogenase 33 (1973) 1; 34 (1973) 175; 38 (1974) 175, 254; 39 (1974) 21
 Aldolase of rabbit muscle 38 (1974) 341
 Aliphatic amidase 35 (1973) 109
 Alkaline phosphatase
 from calf scapula cartilage 38 (1973) 87
 isoenzymes 32 (1973) 81
 Alkaloid, see *Peptide alkaloid*
 1-*O*-Alkenyl glycerol-3-phosphoryl-ethanolamine 32 (1973) 9
 Alkyl diacylglycerol stereospecificity of lipases 40 (1974) 119
 Alkylating agent triethyleneimino-benzoquinone 35 (1973) 336
 Allosteric properties of drug binding 39 (1974) 61
 α -Amanitin 32 (1973) 95
 effect on RNA polymerase 35 (1973) 41
 Amicetin 38 (1974) 237
 Amino acid
 esterase, effect of *p*-chloromercuribenzoate 37 (1973) 120
 residues, action of α -chymotrypsin 38 (1974) 139
 transport 31 (1973) 237; 33 (1973) 157; 34 (1973) 169
 uptake, induction by valinomycin 37 (1973) 244
 Amino acids
 determination by tRNA charging 38 (1973) 37
 effect on ATP-pyrophosphate exchange 35 (1973) 201
 incorporation into TMV-RNA 38 (1974) 287
 sequence analysis 33 (1973) 135
 Aminoacyl-aminohehexosyl-cytosine group of antibiotics 38 (1974) 237
 Aminoacyl-tRNA 32 (1973) 152; 36 (1973) 277; 39 (1974) 75, 259
 binding sites 35 (1973) 341
 synthetase 32 (1973) 205; 34 (1973) 150; 38 (1973) 70; 39 (1974) 259
 ω -Aminoalkyl Sepharose 34 (1973) 150
 γ -Aminobutyrate, catabolite repression of breakdown 37 (1973) 207
 receptors 33 (1973) 45
 γ -Aminobutyrate- α -ketoglutarate transaminase 37 (1973) 207

| | |
|---|--|
| L-3-Amino-1-chloro-4-methyl-pentan-2-one | 34 (1973) 213 |
| 1-Aminoglucose | 33 (1973) 93 |
| <i>N</i> ⁶ -(6-Aminoethyl)-NAD ⁺ , application in affinity chromatography | 38 (1974) 320 |
| δ -Aminolevulinic acid synthetase | 40 (1974) 173 |
| Aminopeptidase | 40 (1974) 210 |
| 3-Aminopropyl glass support in Edman degradation | 35 (1973) 97 |
| 2-Aminopurine triphosphate | 32 (1973) 267 |
| 5-Aminouridine | 32 (1973) 55 |
| catabolite repression of GABA breakdown | 37 (1973) 209 |
| effect on purine transport | 31 (1973) 313 |
| repression of <i>Saccharomyces carlsbergensis</i> | 32 (1973) 265 |
| Ammonium | |
| See also Cation | |
| AMP | 39 (1974) 252 |
| affinity for atractyloside | 31 (1973) 23 |
| immobilization to Sepharose 4 B | 37 (1973) 134 |
| analogue, lactate dehydrogenase isoenzyme isolation | 35 (1973) 223 |
| polynucleotidylexotransferase | 33 (1973) 245 |
| Amphetamines | 31 (1973) 205; 36 (1973) 339 |
| α -Amylase | 31 (1973) 89, 203 |
| Amylo-1,6 glucoside/1,4- α -glucan 4- α -glycosyltransferase | 32 (1973) 78 |
| Anaerobiosis, effect on glycogen metabolism | 36 (1973) 309 |
| Analytical biochemistry | 35 (1973) 185 |
| 5 α -Androstane-3 α ,17 β -diol | 31 (1973) 292 |
| Androstanolone | 33 (1973) 218 |
| 5 α -Androst-16-en-3 β -ol | 31 (1973) 321 |
| Anilinonaphthalene sulfonate | 31 (1973) 241; 36 (1973) 265, 297 |
| Anion transport | 32 (1973) 161 |
| Antibiotics synthesis under altered growth conditions | 35 (1973) 231 |
| Antibody-combining sites | 35 (1973) 306 |
| Antibodies | |
| against choline acetyltransferase | 36 (1973) 43 |
| against 16 α , 17 β -estriol | 36 (1973) 113 |
| Antigen-antibody interaction | 40 (1974) 13 |
| Antigenic determinant of lysozyme | 35 (1973) 239 |
| Antimycin | 33 (1973) 84 |
| Anti-streptococcal antibodies | 39 (1974) 160 |
| α ₁ -Antitrypsin | 32 (1973) 243; 35 (1973) 79 |
| Antitumor | |
| activities of bacterial enzymes | 33 (1973) 286 |
| agent, triethylene-iminobenzoquinone | 35 (1973) 336 |
| Apolipoprotein A-II | 38 (1974) 166 |
| Apolipoprotein D | 37 (1973) 178 |
| Apolipoproteins | 38 (1974) 247 |
| Argininosuccinate synthetase | 33 (1973) 348 |
| Arylsulphatase | 32 (1973) 129; 35 (1973) 51 |
| Ascites tumor cells, glucose-6-phosphate isomerase | 33 (1973) 89 |
| L-Asparaginase | 39 (1973) 214 |
| Asparagine derivatives | 39 (1974) 214 |
| Aspartate aminotransferase | 31 (1973) 339; 35 (1973) 129, 322; 38 (1974) 229 |
| Aspartate-ammonia lyase | 37 (1973) 207 |
| Atebrin | 39 (1974) 39 |
| analogue | |
| 2-aminopurine triphosphate | 32 (1973) 267 |
| effect on photophosphorylation | 33 (1973) 293 |
| affinity for atractyloside | 31 (1973) 15 |
| and cation transport | 33 (1973) 267 |
| and <i>Physarum</i> motility | 34 (1973) 40 |

| | |
|--|---------------------------------|
| complexing with zinc | 39 (1974) 73 |
| effect on | |
| citrate synthase | 36 (1973) 227 |
| glyceraldehyde-3-phosphate dehydrogenase | 33 (1973) 151 |
| formation of inosine | 34 (1973) 204 |
| hydrolysis in mitochondria | 33 (1973) 129 |
| immobilization to Sepharose 4B | 37 (1973) 134 |
| interaction with | |
| biogenic amines | 38 (1973) 64 |
| myosin | 33 (1973) 161 |
| -Mg ²⁺ ratios and kinase activity | 34 (1973) 243 |
| γ -Phosphate incorporation by RNA polymerase | 35 (1973) 133 |
| pyrophosphate exchange | 35 (1973) 20 |
| reverse electron transport | 33 (1973) 28 |
| synthesis in chloroplast fragments | 36 (1973) 143 |
| -dependent DNAase | 31 (1973) 31 |
| ATPase, see <i>Adenosine triphosphatase</i> | |
| transport, effect of bongkreik acid | 36 (1973) 137 |
| Atractyliside | 31 (1973) 11, 15; 39 (1974) 133 |
| Aurovertin, binding to mitochondrial ATPase | 36 (1973) 87 |
| Autoradiography | 39 (1973) 307 |
| Avilamycin | 36 (1973) 181 |
| 6-Azauridine-5'-monophosphate | 31 (1973) 153 |
| Azo-dye carcinogenesis | 33 (1973) 247 |
| Azolectin | 39 (1973) 43 |
| Azurin | 38 (1974) 205 |
| Bacitracin A | 32 (1973) 100 |
| Bacitracins, synthesis under altered growth conditions | 35 (1973) 231 |
| Bacteriochlorophyll | 31 (1973) 27; 33 (1973) 119 |
| Bacteriochlorophyll P865 | 40 (1974) 5 |
| Bacteriochlorophyll P870 | 36 (1973) 169 |
| Bacteriophage | |
| fd DNA | 34 (1973) 318 |
| fd gene 5 product | 40 (1974) 290 |
| fd RF-DNA | 33 (1973) 177 |
| M13 proteins | 35 (1973) 155 |
| MS2 | 35 (1973) 91 |
| virions, nucleoprotein crosslinking | 38 (1974) 304 |
| Q β RNA, binding to <i>E. coli</i> ribosomes | 33 (1973) 339 |
| Sd virions, nucleoprotein crosslinking | 38 (1974) 299 |
| SP01 | 34 (1973) 172 |
| T4 | |
| lysozyme gene | 34 (1973) 99 |
| purification | 37 (1973) 70 |
| tRNA | 40 (1974) 312 |
| T5 receptor protein | 34 (1973) 77 |
| T7 gene transcription | 33 (1973) 335 |
| Bacteriorhodopsin | 36 (1973) 72; 39 (1974) 39, 43 |
| Bamisetin | 38 (1974) 237 |
| Basic pancreatic trypsin inhibitor | 31 (1973) 114 |
| Bathophenanthroline sulfonate | 38 (1973) 91 |
| Beating heart cells | 39 (1974) 88 |
| Beauvericin | 36 (1973) 65 |
| Bee venom, protease inhibitor | 33 (1973) 343 |
| Benz(a)anthracene 5,6-oxide | 34 (1973) 63 |
| Benzo(a)pyrene | 31 (1973) 327 |
| Benzphetamine | 31 (1973) 301 |

| | |
|---|--------------------|
| Benzyl 5-acetamido-3,5-dideoxy- β -L-arabino-heptulosidic acid | 40 (1974) 250 |
| Bicuculline | 33 (1973) 45 |
| Biebrich Scarlet-lysozyme complex | 40 (1974) 25 |
| Bilirubin-albumin complex | 33 (1973) 320 |
| Biogenic amines, interaction with ATP | 38 (1973) 64 |
| Biomolecules | 31 (1973) 70 |
| Bladder of toad, cyclic AMP | 31 (1973) 269 |
| Blasticidin S | 38 (1974) 237 |
| Bleomycin | 31 (1973) 217 |
| Blue proteins | 38 (1974) 205 |
| Bone marrow cell differentiation | 38 (1974) 282 |
| Bongkreikic acid | 31 (1973) 15 |
| Bongkreikic acid-resistant mutants <i>Saccharomyces cerevisiae</i> | 36 (1973) 137 |
| yeast | 35 (1973) 198 |
| Borrelidin | 39 (1974) 182 |
| Brain | |
| chromatin | 34 (1973) 165 |
| dynein-like protein | 40 (1974) 274, 281 |
| glycoprotein (GM 50-C) | 38 (1974) 143 |
| glycoproteins | 34 (1973) 350 |
| guanyl cyclase | 34 (1973) 71 |
| non-histone chromatin proteins | 38 (1974) 121 |
| plasma membranes | 38 (1973) 79 |
| synaptosomal protein 14-3-2 | 40 (1974) 154 |
| trace lipid | 33 (1973) 331 |
| Bromelain | 40 (1974) 127 |
| [3-(Bromoacetylpyridino)-propyl]-adenosine pyrophosphate | 34 (1973) 175 |
| 5-Bromodeoxyuridine, incorporation into DNA | 37 (1973) 298 |
| 5-Bromo-2'-deoxyuridine (BUdR) | 38 (1974) 282 |
| Bromophenol Blue, effect on enzymes | 40 (1974) 224 |
| Bromosulphonphthalein (BSP), carrier in liver | 38 (1974) 125 |
| Bromthymol Blue | 39 (1974) 67 |
| Buoyant density centrifugation of DNA | 37 (1973) 321 |
| Business and biochemistry | 35 (1973) 187 |
| Cadmium | |
| binding protein | 40 (1974) 176 |
| metallothionein | 32 (1973) 171 |
| Caffeine | 39 (1974) 35 |
| effect on DNA polymerase | 33 (1973) 256 |
| Calcitonin, radioimmunoassay | 38 (1974) 209 |
| Calcium | 39 (1974) 291 |
| binding | |
| glycoprotein of scapula cartilage | 38 (1973) 87 |
| proteins of carp and hake muscle | 36 (1973) 268 |
| conformational change of prothrombin | 32 (1973) 343 |
| effect on | |
| α -amylase | 31 (1973) 89 |
| estrogen receptor | 32 (1973) 330 |
| pyruvate carboxylase | 37 (1973) 51 |
| interaction with mitochondria | 37 (1973) 33 |
| release from sarcoplasmic reticulum | 34 (1973) 299 |
| transport, in sarcoplasmic vesicles | 37 (1973) 140 |
| Calorimetry of flagellin of <i>Proteus mirabilis</i> | 36 (1973) 318 |
| Carbamoyl phosphate synthetase | 37 (1973) 79 |
| Carbobenzoxy (CBZ)-derivatives, effect on protein synthesis | 40 (1974) 207 |

| | |
|--|---|
| Carbohydrate | |
| components in aspartate transaminase | 35 (1973) 129 |
| content of abrin | 35 (1973) 257 |
| 'sites' on membranes | 32 (1973) 124 |
| Carbon dioxide | |
| fixation | 38 (1973) 4; 38 (1974) 243; 40 (1974) 229 |
| reductase | 38 (1973) 45 |
| Carbon monoxide | 32 (1973) 227; 39 (1974) 271 |
| cytochrome P_{450} | 35 (1973) 86 |
| cytochromes | 37 (1973) 335 |
| hemoglobin | 34 (1973) 69 |
| Carbonyl cyanide <i>m</i> -chlorophenyl-hydrazone (CCCP) | 34 (1973) 256; 39 (1974) 39 |
| Carbonyl cyanide <i>p</i> -trifluoromethoxyphenylhydrazone (FCCP) | 34 (1973) 256; 39 (1974) 67, 133 |
| Carboxyatractyloside | 31 (1973) 11, 15; 39 (1974) 138; 40 (1974) 72 |
| Carboxylic esterase | 33 (1973) 351 |
| Carboxypeptidase C | 40 (1974) 302 |
| Carcinoembryonic antigen antiserum | 37 (1973) 317 |
| Carcinogenesis by | |
| aflatoxin B ₁ metabolite | 36 (1973) 261 |
| a 30-dyes | 33 (1973) 247 |
| <i>N</i> -2-fluorenyl-acetamide derivatives | 34 (1973) 295 |
| Carotenoids | 31 (1973) 27 |
| Cartilage collagen, effect of collagenase | 34 (1973) 267 |
| Catabolite repression | 35 (1973) 83 |
| Catalase | 36 (1973) 343; 40 (1974) 325 |
| Cation | |
| interaction with membranes | 31 (1973) 301 |
| see also Ammonium, Potassium, Sodium, etc. | |
| sensitivity of methionine synthetase | 35 (1973) 295 |
| transport | 33 (1973) 267 |
| CDP-choline 1, 2-diglyceride phosphocholine transferase | 40 (1974) 110 |
| Cell | |
| cycle, cell wall synthesis | 34 (1973) 285 |
| culture, transport of potassium | 38 (1973) 42 |
| free systems | |
| from Ehrlich ascites, rat and mouse liver cells | 40 (1974) 207 |
| of phage M13 protein synthesis | 35 (1973) 155 |
| of post microsomal fraction of rat liver | 37 (1973) 221 |
| of protein synthesis | 33 (1973) 23 |
| translation of globin in RNA | 35 (1973) 45 |
| fusion of erythrocytes with Ehrlich ascites tumor cells | 40 (1973) 331 |
| membrane | |
| content of L-ornithine-containing peptidoglycan | 36 (1973) 83 |
| effect of periodate and succinic anhydride | 35 (1973) 195 |
| effect of phenylethanol | 35 (1973) 191 |
| wall, see membrane | |
| β -Cells of pancreas, see Islets of Langerhans | |
| Centrifugation, see <i>Isopycnic centrifugation</i> , <i>Gradient centrifugation</i> , <i>Zonal centrifugation</i> , <i>Buoyant density centrifugation</i> | |
| Ceramide trihexoside | 32 (1973) 69 |
| Cerebroside sulphatase | 32 (1973) 129 |
| Cetylpyridinium chloride effect on β -galactosidase | 36 (1973) 53 |
| Chalones | 32 (1973) 1 |
| Chemotaxis, role of phosphodiesterase | 34 (1973) 5 |
| Chicken embryo fibroblast, nuclear protein synthesis | 38 (1974) 295 |
| Chitinase | 39 (1974) 171 |

| | |
|--|--|
| Chitobiose, see <i>N,N'</i> -Diacetylchitobiose | |
| Chitoooligosaccharides, binding to lysozyme | 40 (1974) 25 |
| <i>N</i> -Chlorambucyl-phenylalanyl tRNA | 39 (1974) 287 |
| 3-Chloroacetyl pyridine adenine dinucleotide | 40 (1974) 29 |
| <i>p</i> -(Chloroethyl methylamino) benzylidene hexanucleotides | 32 (1973) 351 |
| Chloromercuribenzene- <i>p</i> -sulphonic acid | 39 (1974) 209 |
| <i>p</i> -Chloromercuribenzoate (PCMB) | 39 (1974) 13 |
| Chloromethylketone | 34 (1973) 213 |
| Chlorophyll | 34 (1973) 147; 39 (1974) 206 |
| photoreactions in sucrose syrup | 38 (1973) 112 |
| synthesis from protochlorophyll | 38 (1973) 75 |
| Chlorophyll-a | 40 (1974) 196 |
| Chlorophyll-a ₁ | 36 (1973) 207 |
| Chlorophyll P518 | 40 (1974) 229 |
| Chlorophyllide | 37 (1973) 103 |
| Chloroplasts | 31 (1973) 119, 225, 308, 33 (1973) 28; 38 (1974) 243; 39 (1974) 337, 345 |
| CO ₂ -fixation | 38 (1973) 4 |
| effect of nigericin and valinomycin | 40 (1974) 229 |
| energy transfer | 33 (1973) 201 |
| membranes | 32 (1973) 91 |
| ATP synthesis | 36 (1973) 143 |
| orientation of chlorophyll-a ₁ | 36 (1973) 207 |
| non-cyclic photophosphorylation | 36 (1973) 61 |
| novel DNA component | 37 (1973) 174 |
| photoreactions in sucrose syrups | 38 (1973) 112 |
| reversion of chlorophyll-a fluorescence quenching | 40 (1974) 196 |
| ribosome deficient mutants of <i>Pelargonium zonal</i> | 37 (1973) 117 |
| RNA synthesis | 36 (1973) 116 |
| Cholesterol | 33 (1973) 229; 34 (1973) 238 |
| derivative, in brain | 33 (1973) 331 |
| in lymphocyte membranes | 38 (1974) 268 |
| membrane fluidity | 38 (1973) 101 |
| Choline, | |
| uptake in synaptosomes | 35 (1973) 141 |
| acetyltransferase | 32 (1973) 231; 36 (1973) 43 |
| Cholinergic receptor | 39 (1974) 61, 118 |
| protein | 33 (1973) 109; 35 (1973) 124; 38 (1973) 11 |
| Cholinergic synaptosomes | 31 (1973) 193 |
| Chondrocytes, inhibition of sulphate incorporation | 37 (1973) 42 |
| Chondroitin sulphate | 39 (1974) 49 |
| effect on β -galactosidase | 36 (1973) 53 |
| proteins | 31 (1973) 170; 39 (1974) 255 |
| Chondrosulphatase | 39 (1974) 49 |
| Chorionic gonadotropin (HCG) | 31 (1973) 101, 214; 34 (1973) 179 |
| Chromatin | 33 (1973) 221 |
| acidic lipoproteins | 34 (1973) 48 |
| binding of ethidium bromide | 40 (1974) 9 |
| directed RNA synthesis | 40 (1974) 77 |
| DNA polymerase release | 35 (1973) 262 |
| of brain | 34 (1973) 165 |
| RNA polymerase initiation factor | 34 (1973) 27 |
| Chromatin, see also <i>Non-histone chromatin</i> | |
| Chromatography, see <i>Affinity chromatography; Column chromatography; Hydrophobic chromatography; Liquid chromatography; Substrate elution chromatography</i> | |

- Chromatophores of
Rhodopseudomonas capsulata 35 (1973) 213
Rhodopseudomonas spheroides 35 (1973) 204; 40 (1974) 5
Chromosomal proteins 39 (1974) 125, 129
see also *Non-histone chromosomal proteins*
Chymosin 35 (1973) 250
 α -Chymotrypsin 33 (1973) 54; 34 (1973) 185; 37 (1973) 93; 39 (1974) 329
action on D-amino acid residues 38 (1974) 139
N-acetyl-L-tryptophan conformation 36 (1973) 330
Chymotrypsinogen 33 (1973) 93; 38 (1974) 157
Cicer arietinum seedlings, RNA synthesis 33 (1973) 239
trans-Cinnamic acid deamination 36 (1973) 239
Circular DNA of yeast mitochondria 38 (1974) 171
Circular dichroism (CD)
interaction between polysaccharides and divalent cations 32 (1973) 195
of
albumin 33 (1973) 305
chlorophyllides 37 (1973) 103
enniain analogues 36 (1973) 65
flagellin of *Proteus mirabilis* 36 (1973) 318
glutamate dehydrogenase 31 (1973) 251
human serum 33 (1973) 320
polypeptides 35 (1973) 148
prothrombin 32 (1973) 343
study of protein denaturation 40 (1974) 18
Citrate, role in succinate (+ rotenone) oxidation 32 (1973) 339
Citrate synthase 36 (1973) 227; 39 (1974) 252
Cloacin DF₁₃
immunity protein 40 (1974) 293
inactivation of ribosomes 35 (1973) 161
CoA glutathione reductase 39 (1974) 296
Cobalt 39 (1974) 21
Cobalt superoxide dismutase 39 (1974) 154
Coenzyme A (CoA) 39 (1974) 296
Codon
recognition 39 (1974) 359
UGA 39 (1974) 310
Colchicine binding protein 33 (1973) 139
Colicin
E2 39 (1974) 1
E3 36 (1973) 277
Collagen 33 (1973) 167, 187; 34 (1973) 267; 36 (1973) 289; 39 (1974) 187
glycosyl derivatives 38 (1974) 334
Collagenase 34 (1973) 267
Colony stimulating factor (CSF) 38 (1974) 282
Column chromatography of virus RNA 33 (1973) 61
Complex I, II and III for photosynthesis 39 (1974) 353
Compression, effect on subcellular organelles 36 (1973) 163
Concanavalin A 32 (1973) 124, 238, 289
Sephacrose 38 (1974) 143
Conformation study of ribose phosphate moiety 31 (1973) 153
Coniferyl alcohol 31 (1973) 283
Coniferyl alcohol oxido reductase 31 (1973) 283
Contractile system of platelets 34 (1973) 315
Copper
-containing proteins 38 (1974) 205
-depleted *Neurospora crassa* 35 (1973) 63

| | |
|---|---|
| Corticosterone | 36 (1973) 109 |
| Cortisol | 31 (1973) 53; 37 (1973) 170 |
| Crystallization of lysozyme | 31 (1973) 189 |
| Cyanide | 31 (1973) 119 |
| inactivation of CO ₂ reductase | 38 (1973) 45 |
| inhibition of cytochrome oxidase | 36 (1973) 347 |
| Cyanide-resistant respiration | 35 (1973) 63 |
| 3', 5'-Cyclic AMP | 34 (1973) 43; 40 (1974) 203 |
| activation of protein kinase | 31 (1973) 246 |
| adenyl cyclase in development of insects | 32 (1973) 113 |
| binding activities in rats | 36 (1973) 253 |
| catabolite repression of GABA breakdown | 37 (1973) 209 |
| chemotactic activity | 34 (1973) 5 |
| derivatives, effect on chemotaxis | 34 (1973) 263 |
| effect of | |
| glucose | 33 (1973) 311 |
| hormones in perfused livers | 32 (1973) 73 |
| luteinizing hormone | 35 (1973) 59 |
| prostaglandins | 31 (1973) 269 |
| effect on | |
| adrenal carcinoma cells | 38 (1974) 197 |
| protein kinase | 37 (1973) 37 |
| formation of 3', 5'-cyclic IMP | 34 (1973) 204 |
| in corpus luteum | 34 (1973) 179 |
| phosphorylation of histone | 32 (1973) 270 |
| prostaglandin stimulation | 34 (1973) 85 |
| see also <i>Dibutyryl 3', 5'-cyclic AMP</i> | |
| specificity of action in <i>E. coli</i> | 31 (1973) 343 |
| stimulation of RNA synthesis | 33 (1973) 239 |
| 3', 5'-Cyclic GMP | 40 (1974) 203 |
| 3', 5'-Cyclic IMP | 34 (1973) 204, 207 |
| Cyclic nucleotides, effect on chemotaxis | 34 (1973) 263 |
| Cyclic oligosaccharides, inhibition of pullulanase | 37 (1973) 269 |
| Cyclodextrin | 37 (1973) 269 |
| Cycloheximide | 31 (1973) 53 |
| Cytochalasin B | |
| effect on mitochondrial contraction | 37 (1973) 241 |
| Cytochromes | |
| binding to microsomal membranes | 37 (1973) 253 |
| cytochrome <i>b</i> -559 | 32 (1973) 157 |
| cytochrome <i>b</i> _T | 40 (1974) 149 |
| cytochrome <i>c</i> | 31 (1973) 186; 32 (1973) 135, 139, 321; 36 (1973) 174, 326; 37 (1973) 217 |
| cytochrome <i>c</i> -553 | 34 (1973) 235 |
| cytochrome <i>c</i> -557 | 36 (1973) 151 |
| cytochrome <i>c</i> | |
| reductase | 34 (1973) 235 |
| reductase, see also <i>Succinate cytochrome c reductase</i> | |
| of methane-utilizing bacteria | 37 (1973) 335 |
| oxidase | 33 (1973) 101; 35 (1973) 106; 36 (1973) 326, 347 |
| -deficient <i>Neurospora crassa</i> | 35 (1973) 63 |
| membranes | 40 (1974) 269 |
| cytochrome <i>P</i> -450 | 31 (1973) 205; 32 (1973) 227; 35 (1973) 86; 36 (1973) 187; 38 (1974) 337; 39 (1974) 271 |
| Cytoplasm | |
| chloroplast interactions | 38 (1974) 243 |
| membranes — DNA complex | 33 (1973) 106 |
| messenger RNP, see <i>Ribonucleoprotein particles</i> | |
| Cytoplasm | |
| synthesis of | |

| | |
|---|------------------------------|
| chloroplast amino acyl-tRNA synthetases | 38 (1973) 70 |
| ribulose diphosphate carboxylase | 38 (1973) 67 |
| Cytosine | 31 (1973) 70 |
| Cytosol carrier protein and sterol synthesis | 34 (1973) 238 |
| Daunomycin, effect on double-stranded RNA | 37 (1973) 55 |
| Dehydrogenase | 33 (1973) 151 |
| 6-Deoxyglucose transport in <i>Chlorella vulgaris</i> | 38 (1973) 16 |
| Deoxyribonuclease | 31 (1973) 31, 217 |
| Deoxyribo-oligonucleotide, see <i>Oligonucleotides</i> | |
| Detergent effect on ADP translocation | 40 (1974) 72 |
| Developmental changes of protein methylase activity | 35 (1973) 237 |
| Dexamethasone | 33 (1973) 184 |
| Diabetes, effect on initiation of protein synthesis | 35 (1973) 169 |
| Diabetic rats, activities of protein kinase and cyclic AMP-binding | 36 (1973) 253 |
| Diacetyl(acetoin) reductase | 31 (1973) 39 |
| <i>N,N'</i> -Diacetylchitobiose | 39 (1974) 171 |
| 3,3'-Diamino benzidine | 36 (1973) 61 |
| Diaphorase | 37 (1973) 144, 147 |
| 20,25-Diazacholesterol | 34 (1973) 163 |
| Dibenamide | 39 (1974) 61 |
| <i>N,N</i> -Dibenzyl-2-chloroethylamine hydrochloride, see Dibenamide | |
| <i>N,N</i> -Dibenzyl, <i>N,N</i> -dimethyl ammonium (DDA ⁺) | 31 (1973) 241 |
| 2,5 Dibromo-3-methyl-6-isopropyl- <i>p</i> -benzoquinone | 40 (1974) 196 |
| Dibutyl 3',5'-cyclic AMP | |
| effect on | |
| prostaglandin synthesis | 36 (1973) 193 |
| protein kinase | 37 (1973) 37 |
| triglyceride lipase | 37 (1973) 264 |
| 3-(3,4-Dichlorophenyl)-1,1 di-methylurea | 36 (1973) 61 |
| 3(3,4-Dichlorophenyl)-1,1-di-methylurea | 38 (1973) 116 |
| Dictyostelium magic spot (DMS) | 38 (1974) 149 |
| Diethylnitrosamine | 32 (1973) 307 |
| Differentiation inducing factor for macrophages and granulocytes | 37 (1973) 149 |
| Dihydrostreptomycin | 38 (1973) 19 |
| Diketopiperazine formation in α -amino groups of peptides | 38 (1974) 329 |
| <i>N,N</i> -Dimethylformamide (DMF) | 39 (1974) 79 |
| Dimethyl(2-hydroxy-5-nitrobenzyl) sulfonium bromide | 33 (1973) 181 |
| 1,1'-Dimethylphenylethanol | 35 (1973) 191 |
| Dimethylsulfoxide (DMSO) | 39 (1974) 79 |
| <i>N,N</i> -Dimethyl- <i>p</i> -(<i>m</i> -tolylazo) aniline | 33 (1973) 247 |
| 2,4-Dinitrophenol | 34 (1973) 256 |
| Dinitrophenylation of cysteine | 31 (1973) 23 |
| Dipeptide hydrolysis | 33 (1973) 208 |
| <i>p</i> -Diphenol:O ₂ oxidoreductase | 32 (1973) 187 |
| 2,3-Diphosphoglycerol | 37 (1973) 21 |
| Bohr effect | 38 (1974) 146 |
| Diphosphopyridinenucleotide, see NAD | |
| Discaraine B | 33 (1973) 201 |
| Disc-electrophoresis, changes of enzymes by riboflavin and bromophenol blue | 40 (1974) 224 |
| Dithiothreitol | 36 (1973) 61 |
| Diurnal rhythms | 31 (1973) 261; 32 (1973) 270 |
| Divalent cations | 31 (1973) 297; 32 (1973) 195 |
| DNA | |
| bases, | 31 (1973) 70 |
| of benzo(a)pyrene | 31 (1973) 327 |
| of estrogen receptor | 32 (1973) 330 |
| binding | |

| | |
|---|--|
| protein, product of phage fd gene 5 | 40 (1974) 290 |
| proteins of chromatin | 32 (1973) 46 |
| complementary to globin mRNA | 32 (1973) 109 |
| complex with deoxyribonuclease | 31 (1973) 31 |
| component of <i>Euglena gracilis</i> chloroplasts | 37 (1973) 174 |
| -dependent phage M13 protein synthesis | 35 (1973) 155 |
| -dependent RNA polymerase, see <i>RNA polymerase</i> | |
| determination of buoyant density | 37 (1973) 321 |
| – DNA hybridisation | 35 (1973) 7 |
| effect of <i>N</i> -2-fluorenylacetamide derivatives | 34 (1973) 295 |
| effect of pH on incorporation of ribonucleotides | 40 (1974) 339 |
| from beef heart mitochondria | 39 (1974) 195 |
| histone association | 32 (1973) 175 |
| hypochromicity | 38 (1974) 202 |
| incorporation of 5-bromodeoxyuridine | 37 (1973) 298 |
| local denaturation | 39 (1974) 35 |
| – membrane complex | 33 (1973) 106 |
| metabolism in mitochondria | 31 (1973) 233 |
| of | |
| cytoplasm | 32 (1973) 22 |
| mitochondria | 39 (1974) 27 |
| mouse, reassociation | 35 (1973) 7 |
| phage fd, specific cleavage | 34 (1973) 318 |
| yeast mitochondria | 38 (1974) 171 |
| polymerase | |
| release from chromatin | 35 (1973) 262 |
| ribonuclease sensitivity | 38 (1974) 191 |
| polymerases | 31 (1973) 143; 33 (1973) 256; 35 (1973) 24; 36 (1973) 235; 40 (1974) 339 |
| reaction with <i>N</i> -methyl- <i>N</i> -nitrosourea | 32 (1973) 105 |
| replication in fibroblasts | 34 (1973) 35 |
| DNA, see also <i>Mitochondrial DNA</i> ; <i>Prokaryote DNA</i> ; etc. | |
| synthesis | 31 (1973) 42 |
| effect of antitumor agent | 35 (1973) 336 |
| in isolated nuclei | 35 (1973) 166 |
| in liver | 32 (1973) 251 |
| in megamitochondria | 35 (1973) 4 |
| tritium labelling | 39 (1974) 263 |
| viscosimetric study | 38 (1973) 61 |
| Dolichol phosphate | 34 (1973) 201 |
| Dolichol phosphate mannose | 31 (1973) 335 |
| Dopamine | 31 (1973) 193 |
| Dopamine- β -hydroxylase | 34 (1973) 140 |
| Double-stranded RNA, effect of daunomycin | 37 (1973) 55 |
| DPN(H) see <i>NAD(H)</i> | |
| Drug | |
| action and metabolism | 35 (1973) 180 |
| entrapment in liposomes | 36 (1973) 292 |
| interaction with membranes | 31 (1973) 301 |
| resistance in mitochondria | 33 (1973) 263 |
| Dynein-like protein | 40 (1974) 274, 281 |
| Edman degradation on | |
| glass–solid support | 35 (1973) 97 |
| solid-phase | 36 (1973) 285 |
| of cytochrome <i>c</i> | 37 (1973) 217 |
| EDTA, effect on ATPase | 33 (1973) 161 |
| Egg yolk lipoproteins | 39 (1974) 275 |

| | |
|---|--|
| Ehrlich ascites tumor cell, membrane function | 35 (1973) 191, 195 |
| Elastase | 33 (1973) 54 |
| of pancreas | 40 (1974) 353 |
| Electric organ receptor protein | 33 (1973) 109 |
| Electric tissue | |
| acetylcholinesterases | 38 (1973) 83 |
| cholinergic receptor protein | 38 (1973) 11 |
| Electrogenic proton pump | 39 (1974) 67 |
| Electron paramagnetic resonance (EPR) | |
| of laccase | 32 (1973) 187 |
| of plastocyanins | 34 (1973) 103 |
| with radioactive spin label | 36 (1973) 351 |
| Electron spin resonance (ESR) | 31 (1973) 80 |
| of | |
| antibody combining sites | 35 (1973) 306 |
| glutamate dehydrogenase | 40 (1974) 49 |
| NO-hemoglobins | 36 (1973) 199 |
| photoredoxin of <i>Rps. spheroides</i> | 36 (1973) 169 |
| Electron paramagnetic resonance (EPR) | |
| of erythrocuprein | 32 (1973) 303 |
| study of alcohol dehydrogenase | 39 (1974) 21 |
| Electron transfer in ferredoxin | 33 (1973) 259 |
| Electron transport | 31 (1973) 119 |
| Electron transport | |
| in chloroplasts | 33 (1973) 28; 40 (1974) 229 |
| of photosystem | 39 (1974) 337 |
| Electrophoresis, see Disc-electrophoresis; Isoelectric focusing | |
| Electroplague, see Electric tissue | |
| Elongation factor, see also Translocation factor | |
| Elongation factor | 40 (1974) 219 |
| activity in <i>E. coli</i> | 35 (1973) 31 |
| 2 | 32 (1973) 152 |
| T | 33 (1973) 132 |
| Elongation factors | 39 (1974) 96, 99 |
| of protein synthesis | 32 (1973) 205 |
| Embryogenesis | |
| of sea urchin | 32 (1973) 313 |
| synthesis of tRNA | 33 (1973) 327 |
| Encephalomyocarditis virus | 39 (1974) 4 |
| polyribosomes | 38 (1973) 7 |
| Endonuclease | 39 (1974) 35 |
| associated with SV40 | 34 (1973) 193 |
| I, deficiency in <i>E. coli</i> | 39 (1974) 1 |
| specific cleavage of DNA | 34 (1973) 318 |
| Endoplasmic reticulum | 31 (1973) 335 |
| Endopolysaccharidase | 39 (1974) 49 |
| Enniatin, sandwich complexes | 36 (1973) 65 |
| Environment and biochemistry | 35 (1973) 178 |
| Enzyme | |
| alteration by riboflavin and Bromophenol Blue | 40 (1974) 224 |
| degradation in higher plants | 32 (1973) 325 |
| kinetics | 31 (1973) 157; 32 (1973) 179, 184, 247, 267; 33 (1973) 42; 34 (1974) 185 |
| oscillations of the glycolytic system | 37 (1973) 342 |
| peptide-subtilism interaction | 34 (1973) 333 |
| modulation by steroids | 33 (1973) 301 |
| regulation | 34 (1973) 43 |
| Enzymes | 35 (1973) 173 |

FEBS LETTERS

| | |
|---|---|
| Epinephrine | 32 (1973) 73 |
| Epoxide hydrase | 34 (1973) 63 |
| Equilibrium density centrifugation of DNA--membrane complex | 33 (1973) 106 |
| Ergosterol | 38 (1973) 119 |
| Erucic acid | 39 (1974) 88 |
| Erythrocrucorin of earthworm | 32 (1973) 293 |
| Erythrocuprein | 32 (1973) 303 |
| Erythrocyte | |
| fusion with Ehrlich ascites tumor cells | 40 (1974) 331 |
| membranes | 34 (1973) 1 |
| status of polypeptides | 36 (1973) 79 |
| specific histone | 33 (1973) 197 |
| Erythromycin, effect on mitochondrial ribosomes | 36 (1973) 102 |
| Ester carbonyloxygen binding of Na ⁺ and K ⁺ | 34 (1973) 222 |
| Esterase E ₃ | 33 (1973) 351 |
| 17 β -Estradiol | 31 (1973) 131; 39 (1974) 221 |
| dehydrogenase | 31 (1973) 256; 35 (1973) 23; 36 (1973) 27 |
| Estradiol receptor | 31 (1973) 131; 35 (1973) 289 |
| 16 α , 17 β -Estriol | 36 (1973) 113 |
| Estrogen | 33 (1973) 301 |
| induced protein (IP) | 32 (1973) 199 |
| receptor | 32 (1973) 330 |
| Ethanol | 37 (1973) 89 |
| effect on lipid peroxidation | 35 (1973) 227 |
| metabolism | |
| effect of hydroxycitrate | 36 (1973) 130 |
| effect of NAD level | 40 (1974) 317 |
| Ethanolamine plasmalogens | 32 (1973) 9 |
| Ethidium bromide | |
| binding to chromatin | 40 (1974) 9 |
| effect on | |
| mitochondrial DNA | 39 (1974) 27 |
| respiratory chain | 37 (1973) 23 |
| Ethyl-2-diazomalonyl-Phe-tRNA | 37 (1973) 291 |
| Ethylidimethyl-(2 hydroxymethyl) ammonium chloride, <i>see Lachesine</i> | |
| N-Ethylmaleimide (NEM) | 39 (1974) 13 |
| inhibition of phosphate transport | 36 (1973) 273 |
| Etiolated cotyledons, synthesis of inactive form of L-phenylalanine ammonia-lyase | 36 (1973) 239 |
| Etioplasts of wheat | 31 (1973) 308 |
| Exo- β -N-acetylglucosaminidase | 37 (1973) 7 |
| Exo- β -N-acetyl-D-glucosaminidase | 40 (1974) 192 |
| Exo- β -N-acetylmuramidase | 37 (1973) 7 |
| Exo-hexosaminidases | 37 (1973) 7 |
| Factor X | |
| effect on prothrombin | 36 (1973) 313 |
| prothrombin to thrombin conversion | 38 (1974) 345 |
| Fatty acid | |
| oxidation | 39 (1974) 243, 325 |
| synthesis | 32 (1973) 19 |
| effect of tryptophan | 36 (1973) 96 |
| Fatty acids | |
| branched chain | 39 (1974) 332 |
| conversion to long-chain alcohols | 31 (1973) 97 |
| distribution in subcellular fractions | 32 (1973) 37 |
| inhibition of electron transport | 39 (1974) 337 |
| of retina | 40 (1974) 53 |

| | |
|---|------------------------------|
| ganglio-sides | 38 (1974) 261 |
| reduction of acetyl-CoA carboxylase | 38 (1973) 29 |
| Fatty acyl-CoA | 39 (1974) 133 |
| Ferredoxin | 33 (1973) 259 |
| Ferri/Ferro, see <i>Iron</i> | |
| Ferrimyoglobin, effect of detergents | 34 (1973) 344 |
| Ferri protoporphyrin IX | 34 (1973) 344 |
| Ferritin | 34 (1973) 125 |
| Synthesis on free and membrane-bound polyribosomes | 37 (1973) 249 |
| Ferulate: CoA ligase | 31 (1973) 283 |
| Ferulic acid | 31 (1973) 283 |
| Feruloyl-CoA reductase | 31 (1973) 283 |
| α -Fetoprotein antiserum | 32 (1973) 335 |
| Fibrillar muscle of insect, myosin changes during contraction | 40 (1974) 45 |
| Fibrinogen | 36 (1973) 281 |
| Fibroblast | |
| cells | |
| prostaglandin production | 36 (1973) 193 |
| (LS cells) of mouse, Study of poly (ADP-ribose) glycohydrolase | 36 (1973) 334 |
| 3T6 | 33 (1973) 187 |
| WI-38 diploid cells | 34 (1973) 35 |
| Fibroin mRNA | 39 (1974) 359 |
| Flavin | |
| mononucleotide, see <i>FMN</i> | |
| reduction | 39 (1974) 54 |
| <i>Flavo bacterium</i> , 3 zeaxanthin | 33 (1973) 205 |
| Flight muscle succinic thiokinase | 31 (1973) 317 |
| N-2-Fluorenylacetamide derivatives, effect on DNA | 34 (1973) 295 |
| Fluorescence of membrane interactions | 31 (1973) 301 |
| study | |
| of effect of aurovertin on ATPase | 36 (1973) 87 |
| of hepatocuprein | 39 (1974) 164 |
| of ribosomal proteins | 37 (1973) 234 |
| 5-Fluorocytidine | 32 (1973) 281 |
| 5-Fluorouracil | 32 (1973) 281; 35 (1973) 83 |
| FMN reduction | 39 (1974) 54 |
| Folic acid | 34 (1973) 129 |
| -binding protein | 35 (1973) 76 |
| Follicle stimulating hormone (FSH) | 33 (1973) 57 |
| see also <i>Gonadotropin</i> | |
| Food | |
| and bulk materials | 35 (1973) 181 |
| effect on RNA synthesis in rat livers | 37 (1973) 159 |
| Formaldehyde metabolism | 38 (1974) 274 |
| 2' (3')-O-(N-Formylmethionyl)-adenosine-5'-phosphate | 37 (1973) 188 |
| Formylmethionyl-tRNA, regulation in <i>E. coli</i> | 34 (1973) 327 |
| Freund's adjuvant effect | 35 (1973) 317 |
| Friend murine leukemia virus | 35 (1973) 24 |
| Fructose 1,6-diphosphatase | 38 (1974) 153; 40 (1974) 37 |
| effect on pyruvate kinase | 36 (1973) 305 |
| Fructose-6-phosphate kinase | 38 (1974) 257 |
| Fumarylacetoacetic acid hydrolase | 39 (1974) 218 |
| 2-Furfuryl-trimethyl-ammonium chloride, see <i>Furthrethonium</i> | |
| Furocoumarins, see <i>Psoralen</i> | |
| Furthrethonium (H Fur Me ₃) | 39 (1974) 61 |
| Fusidic acid | 32 (1973) 152; 40 (1974) 219 |
| effect on sporulation | 38 (1974) 315 |
| Fusigen synthetase from <i>Fusarium cubense</i> | 36 (1973) 323 |

| | |
|--|---|
| GABA, see γ -Aminobutyrate | |
| D-Galactosamine | 35 (1973) 1 |
| Galactosamine-induced liver damage | 34 (1973) 113 |
| D-Galactose | 35 (1973) 1 |
| β -Galactosidase | 36 (1973) 53; 37 (1973) 207 |
| catabolite repression | 35 (1973) 83 |
| Ganglionectomy | 31 (1973) 261 |
| Gangliosides | 31 (1973) 297 |
| biosynthesis in avian lymphoid tumor | 37 (1973) 124 |
| of bovine retina | 38 (1974) 261 |
| of rat brain | 38 (1974) 271 |
| of retina | 35 (1973) 284 |
| Gas-liquid chromatography (GLC) of L-PCA | 33 (1973) 157 |
| Gastric secretion, effect of activation peptide | 34 (1973) 251 |
| GDP | 39 (1974) 99 |
| GDP-mannose | 34 (1973) 201 |
| GDP-D-mannose: lipid phosphate transmannosylase | 32 (1973) 84 |
| Gel chromatography | |
| of histones | 34 (1973) 217 |
| of insulin | 40 (1974) 233 |
| PHA purification | 34 (1973) 58 |
| Gel filtration | |
| of peptides | 33 (1973) 192 |
| of proteins | 40 (1974) 192 |
| Genes for antibodies, reiteration frequency | 40 (1974) 92 |
| Gibberellic acid | 40 (1974) 343 |
| Gibberellin (GA ₃) | 40 (1974) 77 |
| Glibenclamide | 34 (1973) 347 |
| Glioma cells, prostaglandin production | 36 (1973) 193 |
| Globin | |
| mRNA | 32 (1973) 109, 218; 33 (1973) 23; 35 (1973) 45; 38 (1974) 179 |
| synthesis | 33 (1973) 23 |
| Glucagon | 32 (1973) 73 |
| effect on glycogen metabolism | 36 (1973) 309 |
| Glucamylase | 31 (1973) 203 |
| Glucan | 34 (1973) 285 |
| α -Glucan phosphorylase | 36 (1973) 222 |
| Glucokinase from <i>Bacillus stearothermophilus</i> | 37 (1973) 212 |
| Glucocorticosteroids | 33 (1973) 184 |
| Gluconate | |
| transport in <i>E. coli</i> | 36 (1973) 133 |
| uptake in <i>E. coli</i> | 32 (1973) 260 |
| Gluconeogenesis | 31 (1973) 280 |
| Glucose | 31 (1973) 75, 111 |
| Glucose | |
| dehydrogenation by glucose 6-phosphate dehydrogenase | 36 (1973) 203 |
| effect on | |
| adenylcyclase | 33 (1973) 311 |
| glycogen metabolism | 36 (1973) 309 |
| isomerase | 36 (1973) 57 |
| metabolism | 39 (1974) 17 |
| repression of heme biosynthesis | 40 (1974) 258 |
| utilization | 31 (1973) 277 |
| Glucose-6-phosphatase | 39 (1974) 102 |
| Glucose 3-phosphate dehydrogenase, EPR-study | 36 (1973) 351 |
| Glucose-6-phosphate | |
| dehydrogenase | 36 (1973) 203 |

| | |
|---|---|
| effect on pyruvate kinase | 37 (1973) 109 |
| 1-epimerase | 38 (1973) 33 |
| isomerase | 33 (1973) 33 |
| D-Glucose, incorporation into polysaccharide of <i>E. coli</i> | 40 (1974) 309 |
| D-Glucose-6-phosphate anomerization | 38 (1973) 33 |
| Glucosidase-transferase | 32 (1973) 78 |
| D-Glucuronic acid | 39 (1974) 144, 157 |
| Glutamate | |
| affinity proteolipid (HGAP) | 37 (1973) 10 |
| dehydrogenase | 31 (1973) 251; 32 (1973) 33, 265; 33 (1973) 97, 301; 37 (1973) 10; 40 (1974) 49 |
| receptors | 33 (1973) 45 |
| transport | 37 (1973) 10 |
| Glutaminase | 37 (1973) 325 |
| Glutaminase A | 33 (1973) 286 |
| L-Glutamine, catabolite repression of GABA breakdown | 37 (1973) 209 |
| γ -Glutamyl transpeptidase | 31 (1973) 237 |
| Glutathione | 39 (1974) 296 |
| S-epoxide transferase | 34 (1973) 63 |
| insulin transhydrogenase | 37 (1973) 238 |
| peroxidase | 32 (1973) 132, 307 |
| reductase | 32 (1973) 307; 39 (1974) 296 |
| effect of ethanol | 35 (1973) 227 |
| Glycan-concanavalin interaction | 32 (1973) 238 |
| Glyceraldehyde-3-phosphate dehydrogenase | 31 (1973) 287; 33 (1973) 151; 34 (1973) 175; 39 (1974) 83, 313; 40 (1974) 305 |
| affinity chromatography | 34 (1973) 280 |
| Glycerol | |
| kinase in <i>Neurospora crassa</i> | 35 (1973) 67 |
| Glycerol-3-phosphate | 39 (1974) 243 |
| dehydrogenase | 39 (1974) 190 |
| Glycogen | 31 (1973) 324 |
| glycosyl transfer | 33 (1973) 213 |
| metabolism | 36 (1973) 309 |
| phosphorylase | 40 (1974) 142 |
| synthesis, NMR study of cofactors | 36 (1973) 157 |
| Glycolate | 31 (1973) 225 |
| dehydrogenase | 40 (1974) 325 |
| Glycolipids | 31 (1973) 332; 32 (1973) 37 |
| synthesis | 32 (1973) 69, 84 |
| Glycolysis | |
| effect of Na ⁺ and K ⁺ ions | 36 (1973) 213 |
| study of self-oscillations | 37 (1973) 342 |
| Glycophospholipids | 32 (1973) 84 |
| Glycoprotein | |
| acetylcholinesterase | 36 (1973) 17 |
| colony stimulating factor (CSF) | 38 (1974) 282 |
| concanavalin A binding | 32 (1973) 289 |
| from rat brain (GM 50-C) | 38 (1974) 143 |
| glycosyl transferase | 34 (1973) 129 |
| of brain | 34 (1973) 350 |
| of lysosomes | 39 (1974) 176 |
| of scapula cartilage | 38 (1973) 87 |
| Glycosaminoglycans | 31 (1973) 277 |
| Glycosphingolipid, reactivity to wheat germ lectin and carcinoembryonic antiserum | 37 (1973) 317 |
| Glycosyl | |
| derivatives of collagen | 38 (1974) 334 |
| transferases | 34 (1973) 232 |
| Glycyl-tRNA | 39 (1974) 359 |
| coded by phage T4 | 37 (1973) 64 |

| | |
|--|----------------------------------|
| GM ₁ -gangliosidosis | 34 (1973) 350 |
| Gonadotropin | |
| release stimulated by LH-RH | 35 (1973) 59 |
| see also <i>Luteinizing hormone (LH)</i> and <i>Follicle stimulating hormone (FSH)</i> | |
| Gonadotropin receptor | 39 (1974) 149 |
| Gougerotin | 38 (1974) 237 |
| Gradient centrifugation | 33 (1973) 119 |
| Granulocytes | |
| differentiation | 38 (1974) 282 |
| induction of cell differentiation | 37 (1973) 149 |
| Growth hormone | |
| bovine | 35 (1973) 11 |
| equine | 34 (1973) 353 |
| GTP | 39 (1974) 99 |
| action of fusidic acid | 32 (1973) 152 |
| colchicine binding | 33 (1973) 139 |
| effect on glutamate dehydrogenase | 33 (1973) 97 |
| Guanidine | 31 (1973) 67 |
| effect on potassium transport | 34 (1973) 117 |
| Guanine | 31 (1973) 70 |
| nucleotides effect on ribulose-1,5-diphosphate carboxylase | 37 (1973) 329 |
| Guanosine | |
| pentaphosphate (pppGpp) | 34 (1973) 81 |
| tetraphosphate (ppGpp) | 34 (1973) 81, 291; 38 (1974) 149 |
| triphosphatase (GTPase) | 33 (1973) 132 |
| Guanyl cyclase | 34 (1973) 71 |
| Guanylyl-3',5'-uridine analogues | 35 (1973) 344 |
| Gummiferin see <i>Carboxyatractyloside</i> | |
| Halogen ions, interaction with <i>p</i> -hydroxybenzoate hydroxylase | 36 (1973) 177 |
| Heme biosynthesis | 40 (1974) 258 |
| effect of lactate | 40 (1974) 173 |
| Hemocyanin | 32 (1973) 33 |
| Hemoglobin | |
| CO binding | 34 (1973) 69 |
| components from trout <i>Salmo irideus</i> | 35 (1973) 151 |
| influence of DPG on Bohr effect | 38 (1974) 146 |
| J Sicilia | 39 (1974) 200 |
| of badger (<i>Meles meles</i>) | 37 (1973) 97 |
| of penguin | 36 (1973) 93 |
| of <i>Rana catesbeiana</i> | 36 (1973) 1 |
| Saint Louis | 33 (1973) 37 |
| Saint Luke's | 39 (1974) 111 |
| see also <i>Nitric oxide - hemoglobins</i> | |
| Zambia | 39 (1974) 200 |
| Hepatitis by galactosamine | 35 (1973) 1 |
| Hepatomaous livers | 32 (1973) 307 |
| Heparin | 32 (1973) 116 |
| Hepatocuprein of horse liver | 39 (1974) 164 |
| Herpes simplex virus (HSV) | 31 (1973) 42 |
| Heterogeneous nuclear RNA(hnRNA) from Hela cells | 36 (1973) 253 |
| Hexokinase | 34 (1973) 243; 40 (1974) 241 |
| Hexose | |
| monophosphate shunt | 32 (1973) 33 |
| transport in <i>Chlorella vulgaris</i> | 38 (1973) 16 |
| Hexoses | 31 (1973) 111 |
| High density lipoproteins, | |

| | |
|---|------------------------------|
| apolipoprotein A-II characterization | 38 (1974) 166 |
| (HDL ₃) | 33 (1973) 77 |
| (HDL _P) | 34 (1973) 48 |
| X-ray study | 40 (1974) 213 |
| Histamine receptors | 39 (1974) 61 |
| Histidine incorporation into TMV-RNA | 38 (1974) 287 |
| Histone | 32 (1973) 175 |
| deacetylase | 32 (1973) 59 |
| f1 | 40 (1974) 9 |
| f2a1 of sea urchin | 40 (1974) 346 |
| f2a2 | 32 (1973) 59 |
| f3 | 40 (1974) 167 |
| of shark | 40 (1974) 346 |
| interaction with prokaryote DNA | 34 (1973) 133 |
| of avian erythrocytes | 33 (1973) 197 |
| phosphorylation | 32 (1973) 270 |
| purification by gel chromatography | 34 (1973) 217 |
| rich in arginine-serine | 40 (1974) 161 |
| Homogentisate oxygenase | 39 (1974) 218 |
| Hormones, effect on cyclic AMP | 32 (1973) 73 |
| Hyaluronic acid, effect on sulphate incorporation | 37 (1973) 42 |
| Hyaluronidase | 31 (1973) 107; 39 (1974) 157 |
| Hydrogen | |
| isotope exchange in tRNA | 33 (1973) 7 |
| peroxide (H ₂ O ₂) formation in mitochondria | 33 (1973) 84 |
| Hydrophobic | |
| chromatography of | |
| aminoacyl-tRNA synthetases | 34 (1973) 150 |
| glycogen phosphorylase | 40 (1974) 142 |
| proteins | 33 (1973) 45 |
| p-Hydroxybenzoate hydroxylase | 36 (1973) 177 |
| Hydroxycitrate | 36 (1973) 130 |
| 26-Hydroxylase | 31 (1973) 20 |
| β-Hydroxy-β-methylglutaryl CoA | 32 (1973) 13 |
| 3-Hydroxy-3-methylglutaryl CoA reductase | 31 (1973) 261 |
| p-Hydroxyphenylpyruvic acid oxidase | 39 (1974) 218 |
| Hydroxyproline | 33 (1973) 187 |
| Hydroxypyruvate reductase | 40 (1974) 325 |
| 3-Hydroxy-β-zeacarotene | 33 (1973) 205 |
| Hypochromicity of short double helices | 38 (1974) 202 |
| Idiotypy of serum albumin | 31 (1973) 348 |
| Immobilized glucose isomerase | 36 (1973) 57 |
| Immunoglobulin | |
| E | 33 (1973) 49; 40 (1974) 57 |
| D | 33 (1973) 4 |
| G (IgG) | 35 (1973) 306, 309 |
| γ-chains | 37 (1973) 162 |
| κ-chain in RNA | 40 (1974) 92 |
| L-chain in RNA | 40 (1974) 157 |
| M (IgM) | 35 (1973) 309; 37 (1973) 303 |
| variant in mutant bones of MOPC 21 | 37 (1973) 311 |
| β-Indoleacetic acid (IAA) | 40 (1974) 77 |
| Indolyl-3-acetic acid (IAA) | 33 (1973) 239 |
| Influenza virion RNA | 34 (1973) 145 |
| Informosomes | 31 (1973) 104 |
| see also Ribonucleoprotein particles | |

| | |
|--|--|
| Initiation | |
| codon in MS2 A-protein cistron | 35 (1973) 91 |
| factor | 35 (1973) 313 |
| IF-3 | 31 (1973) 273 |
| IF-3 of protein synthesis | 34 (1973) 95 |
| of protein synthesis | 32 (1973) 205 |
| release from ribosomes | 40 (1974) 335 |
| of protein synthesis in diabetic livers | 35 (1973) 169 |
| Inosine triphosphatase | 39 (1974) 317 |
| Insulin | 31 (1973) 277; 32 (1973) 27, 73 |
| dissociation by alkali | 40 (1974) 233 |
| effect on glycogen metabolism | 36 (1973) 309 |
| receptor | 32 (1973) 87; 34 (1973) 259 |
| release | 39 (1974) 209 |
| -releasing activity of glibenclamide | 34 (1973) 347 |
| synthesizing polysomes | 33 (1973) 225 |
| Interferon | 39 (1974) 249 |
| Intestinal | |
| absorption | 31 (1973) 75 |
| sucrose-isomaltase complex | 35 (1973) 303 |
| Iodoacetamide (IAAm) | 39 (1974) 13 |
| <i>N</i> -Iodoacetylpuromycin | 35 (1973) 137 |
| Iron | |
| binding | |
| of CO | 39 (1974) 271 |
| to transferrin | 33 (1973) 289 |
| -histidine interaction | 32 (1973) 166 |
| -loaded lysosomes | 32 (1973) 190 |
| metabolism, role of ferritin | 34 (1973) 125 |
| of microsomes | 33 (1973) 172 |
| role in photodissociation of CO-cytochrome <i>P</i> ₄₅₀ | 35 (1973) 86 |
| Islets of Langerhans | 33 (1973) 225, 311; 34 (1973) 347; 39 (1974) 209 |
| Isoacceptor tRNA | 39 (1974) 359 |
| Isocitrate | |
| dehydrogenase | 39 (1974) 24 |
| lyase | 40 (1974) 325 |
| Isoelectric focusing of | |
| proteins | 40 (1974) 192 |
| rod outer segment proteins | 37 (1973) 285 |
| Isolated nuclei, DNA synthesis | 35 (1973) 166 |
| Isoleucyl-tRNA synthetase | 35 (1973) 299 |
| Isomaltase | 35 (1973) 303 |
| Isopycnic centrifugation of chromatin | 33 (1973) 221 |
| Isotope exchange | 33 (1973) 7 |
| Kidney cyclic AMP | 31 (1973) 269 |
| Kinase activity in RNA polymerase preparations | 35 (1973) 133 |
| Kinetin | 40 (1974) 343 |
| Kupffer cell isolation from rat liver | 35 (1973) 51 |
| Labelling | |
| of DNA and RNA by tritium | 39 (1974) 263 |
| of polynucleotides by tritium | 40 (1974) 183, 187 |
| of pyridoxal-5'-phosphate | 40 (1974) 41 |
| of ribosomes by radioactive methylation | 37 (1973) 74 |
| Laccase | 32 (1973) 187 |
| β -Lactamase | 33 (1973) 42 |

| | |
|--|---|
| Lachesine | 39 (1974) 61 |
| Lactate dehydrogenase | 31 (1973) 157; 34 (1973) 143, 155; 35 (1973) 19, 223; 38 (1974) 175 |
| Lactic acid | 34 (1973) 155; 40 (1974) 173 |
| β -Lactoglobulin D | 33 (1973) 73 |
| Lacto-N-tetraose | 39 (1974) 341 |
| Lactotransferrin | 38 (1974) 213 |
| Lanosterol | 34 (1973) 238 |
| Lauryl pyridinium chloride (LPC) effect on ferrimyoglobin | 34 (1973) 344 |
| Lectin | |
| binding to lymphocytes | 34 (1973) 247 |
| reaction with glycosphingolipid | 37 (1973) 317 |
| Leucine dehydrogenase antitumor activity | 33 (1973) 286 |
| Leukemic cells | |
| FSD-1 | 32 (1973) 218 |
| surface membranes | 38 (1974) 268 |
| Light | |
| absorption change and membrane potential | 37 (1973) 307 |
| -dark effect on HMG-CoA reductase | 31 (1973) 261 |
| effect on | |
| membranes | 39 (1974) 39, 43 |
| respiration in <i>Halobacterium halobium</i> | 36 (1973) 72 |
| synthesis of nitrate reductase and nitrite reductase | 40 (1974) 343 |
| induction of proton uptake | 35 (1973) 204 |
| Lipase, see also <i>Lipoprotein lipase</i> ; <i>Triglyceride lipase</i> | |
| Lipases | 40 (1974) 119 |
| Lipid | |
| acceptor of glucuronic acid | 39 (1974) 144 |
| effect of ethanol on peroxidation | 35 (1973) 227 |
| linked sugars | 34 (1973) 201 |
| of brain tissue | 33 (1973) 331 |
| -protein interaction | 32 (1973) 30; 38 (1974) 247 |
| Lipoprotein lipase | 35 (1973) 36; 40 (1974) 119 |
| Lipoprotein-X | 38 (1973) 53 |
| Lipoproteins | 33 (1973) 77; 38 (1974) 247 |
| see also <i>Acidic lipoproteins</i> ; <i>Apolipoproteins</i> ; <i>High density lipoproteins</i> ; <i>Low density lipoproteins</i> ; <i>Very low density lipoproteins</i> | |
| Liposomes, entrapment of drugs | 36 (1973) 292 |
| Liquid chromatography of hexokinase | 40 (1974) 241 |
| Liver | |
| damage, effect on kidney enzymes | 34 (1973) 113 |
| gluconeogenesis | 31 (1973) 280 |
| organo mercury-degrading system | 35 (1973) 121 |
| parenchymal cells | |
| and Kupffer cell separation | 35 (1973) 51 |
| study of glycogen metabolism | 36 (1973) 309 |
| plasma membrane | |
| insulin receptor | 34 (1973) 259 |
| transport of BSP | 38 (1974) 125 |
| receptor protein | 33 (1973) 184 |
| see also <i>Hepatoma liver</i> ; <i>Regenerating liver</i> | |
| Lomofungin | 32 (1973) 277 |
| Long-acting thyroid stimulator (LATS) | 32 (1973) 299 |
| Long-chain | |
| acids, see <i>Fatty acids</i> | |
| alcohols | 31 (1973) 97 |
| polyprenols | 31 (1973) 332 |

| | |
|---|---|
| Low density lipoproteins | 40 (1974) 265 |
| Low temperature study of cytochrome P450 | 32 (1973) 227 |
| Lubrol WX, effect on ADP translocation | 40 (1974) 72 |
| Luteinizing hormone (LH) | 31 (1973) 101; 33 (1973) 57, 114 |
| release hormone (LH-RH) | 32 (1973) 49, 52; 33 (1973) 57; 34 (1973) 24; 35 (1973) 59; 39 (1974) 221 |
| releasing factor (LH-RF) see <i>Luteinizing hormone-release hormone (LH-RH)</i> | |
| see also <i>Gonadotropin</i> | |
| Lymphocyte | |
| concanavalin A interaction | 32 (1973) 238 |
| inhibition of PHA-stimulation | 38 (1973) 23 |
| membranes | 34 (1973) 247; 38 (1974) 268 |
| L-Lysine | 39 (1974) 105 |
| Lysolecithin | 34 (1973) 129 |
| Lysosomes | 32 (1973) 190; 39 (1974) 49 |
| dipeptide hydrolysis | 33 (1973) 208 |
| ion distribution | 33 (1973) 233 |
| metabolism of glycoproteins | 39 (1974) 176 |
| Lysozyme | 31 (1973) 67, 189 |
| derivative | 35 (1973) 239 |
| gene, chemical synthesis | 34 (1973) 99 |
| substrate complexes | 40 (1974) 25 |
| Macrophages | |
| growth inducing factor (MGI) | 37 (1973) 149 |
| induction of cell differentiation | 37 (1973) 149 |
| Magic spot, see <i>Guanosine tetraphosphate; Guanosine pentaphosphate</i> | |
| Magnesium | |
| --adenine nucleotide ratio and kinase activity | 34 (1973) 243 |
| effect on | |
| ITPase of myosin | 39 (1974) 317 |
| protein kinase | 37 (1973) 37 |
| pyruvate carboxylase | 37 (1973) 51 |
| pyruvate kinase | 37 (1973) 225 |
| 30S ribosomal subunit formation | 34 (1973) 337 |
| inhibition of cell fusion | 32 (1973) 296 |
| interaction with ATP | 33 (1973) 161 |
| Magneto-optical rotation (MOR) | 32 (1973) 166 |
| Malate dehydrogenase | 35 (1973) 247 |
| Malate synthase | 40 (1974) 325 |
| Malignancy, see <i>Neoplasia</i> | |
| Malic enzyme | 33 (1973) 251 |
| Manganese | |
| prevention of hemolysis during cell fusion | 40 (1974) 331 |
| requirement for transcription | 36 (1973) 5 |
| restoration of electron transport | 39 (1974) 337 |
| Mannan | 34 (1973) 285 |
| Mannolipids | 31 (1973) 332, 335; 32 (1973) 84 |
| α -D-Mannopyranosyl dolichyl phosphate | 31 (1973) 332 |
| D-Mannose | 32 (1973) 84 |
| α -Mannosidase deficiency in Angus cattle | 35 (1973) 209 |
| Mannosidosis in Angus cattle | 35 (1973) 209 |
| Mannosyl transferase | 31 (1973) 335 |
| Mass spectrometry | |
| of complex oligosaccharides | 39 (1974) 341 |
| of monosialogangliosides | 32 (1973) 317 |
| Megamitochondria | 35 (1973) 4 |

| | |
|--|--------------------|
| Melanocyte-stimulating hormone-release-inhibiting factor (MSH-R-IF) | 37 (1973) 27 |
| Melittin | 33 (1973) 241 |
| Membrane | |
| -associated | |
| protease | 36 (1973) 31 |
| protein kinase | 37 (1973) 37 |
| -concanavalin interaction | 32 (1973) 238 |
| effect of ouabain | 39 (1974) 209 |
| fluidity | 38 (1973) 101 |
| indicators ANS and PNA | 36 (1973) 265 |
| lipid layer fluidity | 38 (1974) 268 |
| lipids, delivery of unsaturated fatty acids | 40 (1974) 53 |
| of <i>E. coli</i> , murein-lipoprotein synthesis | 34 (1974) 302, 307 |
| phospholipase C action | 34 (1973) 1 |
| potential and light absorption change | 37 (1973) 307 |
| proteins | |
| of <i>Escherichia coli</i> | 39 (1974) 167 |
| of rod segment | 37 (1973) 285 |
| receptor proteins | 34 (1973) 77 |
| synthesis during cell cycle | 34 (1973) 285 |
| transport | |
| effect of enniatin | 36 (1973) 65 |
| in mitochondria | 38 (1973) 91 |
| of BSP | 38 (1974) 125 |
| Membranes | |
| aspects of neoplasia | 39 (1974) 332 |
| carbohydrate containing sites | 33 (1973) 275 |
| electron transfer | 32 (1973) 124 |
| environmental factors | 39 (1974) 239 |
| enzyme binding | 33 (1973) 119 |
| lipid-protein interaction | 39 (1974) 313 |
| location of glycolipids | 32 (1973) 30 |
| mobility of protein molecules | 32 (1973) 37 |
| mono- and bilayers | 40 (1974) 33 |
| NMR spectroscopy | 39 (1974) 115 |
| of cytochrome oxidase | 33 (1973) 281 |
| of erythrocytes, status of polypeptides | 40 (1974) 269 |
| of lymphocytes binding of lectin | 36 (1973) 79 |
| of myotonic rats | 34 (1973) 247 |
| of pituitary | 34 (1973) 163 |
| phosphatidylinositol metabolism | 39 (1974) 221 |
| see also <i>Plasma membranes; Mitochondrial membranes; Microsomal membranes; Nuclear membranes; Cell membrane; Sarcoplasmic reticulum membrane</i> | 31 (1973) 1 |
| teichoic acid-synthesising system | 34 (1973) 15 |
| Mercaptide ions in thiol enzymes | 38 (1974) 187 |
| Mercury see also <i>Organic mercury</i> | |
| <i>p</i> -Mercuriphenylsulfonate, effect on rhodopsin | 34 (1973) 137 |
| Mercury binding protein | 40 (1974) 176 |
| Mersalyl, effect on phosphate transport | 36 (1973) 9 |
| Messenger ribonucleoproteins, see <i>Ribonucleoprotein particles or Informosomes</i> | |
| Messenger RNA (mRNA) | |
| affinity of proteins | 31 (1973) 25 |
| poly-A rich sequences | 40 (1974) 101 |
| see also <i>Globin in RNA</i> | 32 (1973) 213 |
| translation in post microsomal fraction | 37 (1973) 221 |
| Metachromatic leukodystrophy | 32 (1973) 129 |

| | |
|---|--|
| Metal | |
| ions, role in membrane transport | 38 (1973) 91 |
| specificity | 31 (1973) 89 |
| Metallo-thionein | 32 (1973) 171; 39 (1974) 229; 40 (1974) 177 |
| Metamorphosis in bullfrog | 33 (1973) 125 |
| Methane-utilizing bacteria, study of cytochromes | 37 (1973) 335 |
| Methemoglobin | 32 (1973) 166 |
| Methionine synthetase | 35 (1973) 295 |
| Methioninyl adenylate (Met-ol-AMP) | 35 (1973) 112 |
| Methionyl-tRNA synthetase | 35 (1973) 112; 40 (1974) 180 |
| Methyladenosine | 36 (1973) 34 |
| Methylamine | 33 (1973) 233 |
| Methylase of <i>Escherichia coli</i> | 33 (1973) 177 |
| β-Methylcrotonyl CoA | 32 (1973) 13 |
| carboxylase | 32 (1973) 13 |
| β-Methylcrotonylglycinuria | 32 (1973) 13 |
| Methylglyoxal bis (guanylhyazone) | 40 (1974) 321 |
| Methylguanosine | 36 (1973) 34 |
| <i>N</i>-Methyl-<i>N</i>-nitrosourea | 32 (1973) 105 |
| 5-Methyltetrahydrofolate-homocysteine-methyltransferase | 35 (1973) 295 |
| Methyltransferase | 36 (1973) 34 |
| Metrizamide | 33 (1973) 18, 221 |
| Mevalonate: NADP-oxidoreductase CoA-acylating | 31 (1973) 261 |
| Michaelis-Menten constants | 33 (1973) 42 |
| Microbodies of <i>Euglena gracilis</i>, enzymatic characterization | 40 (1974) 325 |
| Microsomes | 39 (1974) 243 |
| cytochrome <i>P</i> -450 | 35 (1973) 86; 36 (1973) 187 |
| lipid composition | 33 (1973) 229 |
| membranes | 31 (1973) 301; 39 (1974) 102, 239 |
| redox chains | 37 (1973) 253 |
| non-haem iron | 33 (1973) 172 |
| of rabbit liver | 31 (1973) 205; 39 (1974) 144 |
| steroid hydroxylation | 31 (1973) 292 |
| Microtubule polymerization | 39 (1974) 291 |
| Mitochondria | |
| acylation of glycerol 3-phosphate | 39 (1974) 243 |
| ADP translocation | 40 (1974) 73 |
| amino acid transport | 34 (1973) 169 |
| ATPase, effect of aurovertin | 36 (1973) 87 |
| ATP hydrolysis | 33 (1973) 129 |
| citrate transport | 32 (1973) 339 |
| DNA | 31 (1973) 42, 233; 34 (1973) 106; 36 (1973) 232; 39 (1974) 27, 195 |
| polymerase | 31 (1973) 143 |
| drug resistance | 33 (1973) 263 |
| effect of ATP-NO and ADP-NO | 33 (1973) 33 |
| fatty acid oxidation | 39 (1974) 325 |
| glutamate binding proteolipid | 37 (1973) 10 |
| H ₂ O ₂ formation | 33 (1973) 84 |
| interaction of calcium | 37 (1973) 33 |
| lipid composition | 33 (1973) 229 |
| membranes | 31 (1973) 15, 241; 39 (1974) 239 |
| transport | 38 (1973) 91 |
| of adrenal cortex | 32 (1973) 161 |
| of yeast, circular DNA | 38 (1974) 171 |
| oxidative phosphorylation | 39 (1974) 9 |
| phosphate transport | 33 (1973) 297; 36 (1973) 9, 273 |
| phospholipids | 39 (1974) 39 |

| | |
|---|--|
| photoinhibition | 39 (1974) 353 |
| protein synthesis | 31 (1973) 93; 35 (1973) 63 |
| redox state | 31 (1973) 280 |
| respiration | 35 (1973) 106 |
| ribosomes, effect of erythromycin | 36 (1973) 102 |
| RNA containing poly-A | 37 (1973) 260 |
| see also <i>Megamitochondria</i> | |
| sub-particles | 35 (1973) 103 |
| transport | 39 (1974) 133 |
| of reducing equivalents (NADH) | 37 (1973) 89 |
| Mitotic cycle, differential RNA synthesis | 38 (1974) 184 |
| Mitotic inhibitors | 32 (1973) 1 |
| Mobility of protein molecules in membranes | 40 (1974) 33 |
| Molybdenum dependent synthesis of CO ₂ reductase | 38 (1973) 45 |
| Monocyte differentiation | 38 (1974) 282 |
| Mononucleotides, NMR study | 34 (1973) 323 |
| Monosialoganglioside of brain | 32 (1973) 317 |
| Monovalent ions | 31 (1973) 237 |
| Morris hepatoma 5123 | 33 (1973) 229 |
| Motility of <i>Physarum cytoplasm</i> | 34 (1973) 40 |
| Mouse plasma tumor cells (MOPC21), spontaneous mutation | 37 (1973) 311 |
| Murein hydrolases of <i>E.coli</i> | 40 (1974) 261 |
| Murein-lipoprotein | 34 (1973) 302, 307 |
| Murine sarcoma virus RNA | 33 (1973) 61 |
| Muscarinic receptors | 39 (1974) 61 |
| Muscle | |
| cell, fusion | 32 (1973) 296 |
| from crustacean, Glu and GABA receptors | 33 (1973) 45 |
| of developing and dystrophic animals | 39 (1974) 278 |
| Mutations in tissue cultures | 37 (1973) 311 |
| Mycobacteria, adjuvant-active fractions | 35 (1973) 317 |
| Mycolic acid | 39 (1974) 322 |
| Myeloma tumor cell DNA polymerase | 38 (1974) 191 |
| Myoglobin | 31 (1973) 175; 37 (1973) 295 |
| Myokinase | 38 (1974) 254 |
| Myosin | 33 (1973) 161; 34 (1973) 10, 40, 227; 39 (1974) 278, 317 |
| of insect fibrillar muscle | 40 (1974) 45 |
| Myotonia | 34 (1973) 163 |
| NAD | |
| analogue: 3-chloro-acetylpyridine adenine dinucleotide | 40 (1974) 29 |
| binding to polymers | 38 (1974) 320 |
| conformation of glycosidic bond | 38 (1974) 175 |
| -dependent malic enzyme | 33 (1973) 251 |
| effect on ethanol metabolism in liver | 40 (1974) 317 |
| immobilization to Sepharose 4B | 37 (1973) 134 |
| NADH | 34 (1973) 155 |
| action of octopine dehydrogenase | 32 (1973) 254 |
| analogues, effect on ADH and GAPDH | 34 (1973) 175 |
| binding to glutamate dehydrogenase | 31 (1973) 251 |
| -cytochrome c reductase | 39 (1974) 353 |
| effect on glyceraldehyde-3-phosphate dehydrogenase | 33 (1973) 151 |
| mechanism of lactate dehydrogenase action | 31 (1973) 157 |
| oxidase, effect of zinc ions | 40 (1974) 200 |
| transhydrogenase activity | 31 (1973) 27 |
| transport into mitochondria | 37 (1973) 89 |
| NADP | |
| -dependent glutamate dehydrogenase | 32 (1973) 33 |

| | |
|--|---|
| dehydrogenases | 32 (1973) 161 |
| effect on isocitrate dehydrogenase | 39 (1974) 24 |
| role of pyridine nitrogen | 36 (1973) 148 |
| NADPH | |
| action of 17 β -oestradiol dehydrogenase | 31 (1973) 256 |
| binding to glutamate dehydrogenase | 31 (1973) 251 |
| effect on glutamate dehydrogenase | 33 (1973) 97 |
| reduction of ferulic acid | 31 (1973) 283 |
| transhydrogenase activity | 31 (1973) 27 |
| Naphthyl phosphates as substrates for fructose 1,6-diphosphatase | 40 (1974) 37 |
| Naphthylvinylpyridinium | 35 (1973) 141 |
| Neoplasia | |
| membrane aspects | 33 (1973) 267 |
| see also <i>Tumor</i> | |
| Neoplastic livers, activity of DNA polymerase | 36 (1973) 235 |
| Neuroblastoma cells | 34 (1973) 85 |
| prostaglandin production | 36 (1973) 193 |
| Neuraminidase | 40 (1974) 250 |
| Neurotoxin from <i>Naja naja oxiana</i> | 36 (1973) 77 |
| Neurotransmitters | 31 (1973) 193 |
| Neutral red | 39 (1974) 67 |
| Nicotinamide-adenine dinucleotide, see <i>NAD</i> or <i>NADH</i> | |
| Nicotinamide-adenine dinucleotide phosphate, see <i>NADP</i> or <i>NADPH</i> | |
| Nicotinic acid | |
| hydroxylase | 32 (1973) 321 |
| oxidase, in <i>Pseudomonas oralis</i> | 38 (1973) 57 |
| Nicotinic receptor, see <i>Cholinergic receptor</i> | |
| Nigericin | 40 (1974) 229 |
| Nitrate reductase | 40 (1974) 343 |
| Nitrate reduction | 31 (1973) 229 |
| Nitric oxide-hemoglobins of cat | 36 (1973) 199 |
| Nitrite reductase | 40 (1974) 343 |
| <i>p</i> -Nitroanilides | 38 (1974) 292 |
| 4-Nitrobenz-2-oxa-1,3-diazolyl (NBD)-peptides | 34 (1973) 90 |
| Nitrogen fixation in <i>Azorobacter</i> | 37 (1973) 203 |
| Nitrogenase | 37 (1973) 203 |
| <i>p</i> -Nitrophenol | 32 (1973) 273 |
| 2-Nitrophenyl sulfenyl | 32 (1973) 135 |
| Non-histone | |
| chromosomal proteins | 32 (1973) 41,46; 34 (1973) 35,48; 38 (1974) 121 |
| chromatin | 33 (1973) 247 |
| Norepinephrine | 31 (1973) 193 |
| effect on triglyceride lipase | 37 (1973) 264 |
| Nonsense codon, see <i>Codon UGA</i> | |
| Nuclear acidic protein synthesis | 38 (1974) 295 |
| Nuclear DNA polymerase | 31 (1973) 143 |
| Nuclear magnetic resonance (NMR) | |
| CO-hemoglobin | 34 (1973) 69 |
| complexation of Na ⁺ with valinomycin | 40 (1974) 357 |
| of cofactors in glycogen synthesis | 36 (1973) 157 |
| of cytochrome <i>c</i> -557 | 36 (1973) 151 |
| of enniatin analogues | 36 (1973) 65 |
| of gangliosides | 31 (1973) 297 |
| of glutamate dehydrogenase | 40 (1974) 49 |
| of membranes | 33 (1973) 281 |
| of metallothionein | 40 (1974) 176 |
| of nucleotides | 31 (1973) 153 |

| | |
|---|---|
| of 5'- β -nucleotides | 34 (1973) 318 |
| of superoxide dismutase | 32 (1973) 119 |
| of 2n ₂ -ATP complex | 39 (1974) 73 |
| study of | |
| <i>N</i> -acetyl-L-tryptophan conformation | 36 (1973) 330 |
| Co II superoxide dismutase | 39 (1974) 154 |
| MSH-release-inhibiting factor | 37 (1973) 27 |
| thyrotropin-releasing factor | 31 (1973) 59 |
| Nuclear messenger RNP, see <i>Ribonucleoprotein particles</i> | |
| Nuclear particles, see <i>Ribonucleoprotein (RNP) particles</i> | |
| Nuclear proteins | 39 (1974) 129 |
| synthesis, effect of antitumor agent | 35 (1973) 336 |
| Nuclear receptors | 31 (1973) 131 |
| Nuclear RNA-binding protein | 32 (1973) 310 |
| Nuclei | |
| of brain and liver, fractionation | 33 (1973) 18 |
| see also <i>Isolated nuclei</i> | |
| Nucleic acid | |
| structure | 32 (1973) 351 |
| synthesis | 32 (1973) 277 |
| Nucleohistone | 32 (1973) 175 |
| Nucleolar proteins | 39 (1974) 125,129 |
| Nucleoproteins, conversion of interactions | 38 (1974) 299, 304, 299 |
| Nucleoside diphosphate kinase | 38 (1974) 222 |
| phosphorylation | 38 (1974) 225 |
| Nucleoside t ⁶ A synthesis | 39 (1974) 301 |
| Nucleoside Y of yeast phe-tRNA | 38 (1973) 27 |
| Nucleotide sequence analysis | 31 (1973) 47 |
| Nucleotides, quantum mechanics | 33 (1973) 147 |
| Nutritional shift-up in <i>E. coli</i> | 35 (1973) 31 |
| Octopine dehydrogenase | 32 (1973) 254 |
| Oestradiol, see <i>Estradiol</i> | |
| Oestrogen, see <i>Estrogen</i> | |
| Oleyl-CoA | 39 (1974) 133 |
| Oligo (dG-dC), hypochromicity | 38 (1974) 202 |
| Oligomycin | 33 (1973) 263 |
| Oligonucleotides | 35 (1973) 344 |
| apurinization | 33 (1973) 15 |
| complementarity to lysozyme gene | 34 (1973) 99 |
| methylation | 33 (1973) 177 |
| sequence analysis | 33 (1973) 143 |
| Oligosaccharides, MS-analysis | 39 (1974) 341 |
| Optical absorption of plastocyanins | 34 (1973) 103 |
| Optical rotary dispersion (ORD) of prothrombin | 32 (1973) 343 |
| Organo-mercury | |
| degrading system | 35 (1973) 121 |
| effect on | |
| amino acid esterase | 37 (1973) 120 |
| rhodopsin | 34 (1973) 137 |
| L-Ornithine-containing peptidoglycan | 36 (1973) 83 |
| Ornithine decarboxylase | 32 (1973) 251 |
| Oscillations of glycolytic system | 37 (1973) 342 |
| Ouabain | 39 (1974) 209 |
| Oxidative phosphorylation | 33 (1973) 33, 84, 101; 35 (1973) 103; 39 (1974) 9 |
| see also <i>Photophosphorylation</i> | |
| uncouplers | 34 (1973) 256 |

| | |
|--|---|
| $\Delta_5 \rightarrow 4$ -3-Oxosteroid isomerase | 37 (1973) 82 |
| 1,1' Oxydimethylene-bis-(4-formyl-pyridinium chloride) dioxime, see <i>Toxogonin</i> | |
| Oxygen | |
| binding, of erythrocrucorin | 32 (1973) 293 |
| (de)saturation | 33 (1973) 101 |
| reduction | 35 (1973) 106 |
| Palmitic acid | 32 (1973) 37 |
| Palmityl-CoA | 39 (1973) 133; 40 (1973) 73 |
| Palmotoxins Bo and Go | 40 (1974) 247 |
| Pancreas | |
| islets β -cells, see <i>Islets of Langerhans</i> | |
| polysomes | 33 (1973) 225 |
| Papain | 40 (1974) 127 |
| Parainfluenza 1 (Sendai) virus | 31 (1973) 127 |
| Parenchymal cell isolation from rat liver | 35 (1973) 51 |
| Parotid gland adrenergic receptors | 34 (1973) 198 |
| Parvalbumin of <i>Esox lucius</i> | 35 (1973) 145 |
| Penicillin | 36 (1973) 292; 39 (1974) 105 |
| 2,3 Pentanediol | 31 (1973) 39 |
| 2,3-Pentanedione | 31 (1973) 39 |
| Pepsin | 34 (1973) 311; 35 (1973) 49, 276 |
| Pepsinogen | 35 (1973) 255 |
| Pepstatin | 34 (1973) 189 |
| Peptide | |
| alkaloid | 33 (1973) 201 |
| blocking of α -amino acids | 38 (1974) 329 |
| carbonyl oxygen binding of Na^+ and K^+ | 34 (1973) 222 |
| containing half-cystine | 37 (1973) 162 |
| hydrolase | 39 (1974) 225 |
| hydrolysis | 33 (1973) 208 |
| see also <i>Acidic peptides; Phosphopeptides; Polypeptides; Puromycyl peptides</i> | |
| separation | 33 (1973) 192 |
| sequence determination | 34 (1973) 90; 35 (1973) 97 |
| subtilisin interaction | 34 (1973) 333 |
| Peptidoglycan | 36 (1973) 83; 39 (1974) 105 |
| Peptidyl transferase | 37 (1973) 188; 39 (1974) 75 |
| Peptidyl-tRNA analogue binding to 23 S tRNA | 37 (1973) 291 |
| Perfusion of liver | 31 (1973) 280 |
| Periodate oxidation, effect on membranes | 35 (1973) 195 |
| Permeabilised cells and enzyme kinetics | 32 (1973) 247 |
| Peroxidase | 31 (1973) 229; 35 (1973) 227 |
| Phage, see <i>Bacteriophage</i> | |
| <i>o</i> -Phenanthroline | 36 (1973) 169 |
| Phenazine methosulphate | 40 (1974) 149 |
| <i>N</i> -Phenylacetyl-S-benzyl-L-cysteine | 40 (1974) 207 |
| L-Phenylalanine ammonialyase | 36 (1973) 239 |
| Phenylalanyl-tRNA | 31 (1973) 345; 32 (1973) 55; 40 (1974) 67 |
| Phenylalanine: tRNA-ligase | 39 (1973) 287 |
| f-Phenylalanyl-tRNA _f ^{Met} | 37 (1973) 166 |
| Phenyldicarbaundecarborane | 31 (1973) 27, 241; 39 (1974) 39 |
| 2-Phenylethanol | 35 (1973) 191 |
| 2-Phenylindolone | 33 (1973) 297 |
| <i>N</i> -Phenyl-1-naphthylamine | 36 (1973) 265 |
| <i>N</i> -Phenylpropionyl-S-benzyl-L-cysteine | 40 (1974) 207 |
| Phleomycin | 39 (1974) 35 |

- Phosphate
 absorption 32 (1973) 149
 activation of phosphofructokinase 38 (1974) 354
 transport in mitochondria 33 (1973) 297; 36 (1973) 9, 273; 39 (1974) 133
- Phosphatidyl
 choline 31 (1973) 199; 40 (1974) 110
 ethanolamine 31 (1973) 199
 inositol 31 (1973) 1
 37 (1973) 257
- Phospho-adenylyl sulphate 31 (1973) 217; 34 (1973) 5
- Phosphodiesterase 34 (1973) 85
- Phosphoenolpyruvate
 carboxykinase 31 (1973) 280; 33 (1973) 125; 34 (1973) 113
 hexose phosphotransferase 31 (1973) 111
- Phosphofructokinase 34 (1973) 243; 36 (1973) 190; 37 (1973) 21; 38 (1973) 1; 38 (1974) 354
- Phosphoglucomutase 32 (1973) 325
- Phosphogluconate dehydrogenase 38 (1973) 49
- Phosphoglycerate
 kinase 34 (1973) 243
 mutase 34 (1973) 243
- Phospholipase C 34 (1973) 1
- Phospholipids 33 (1973) 229; 34 (1973) 198; 36 (1973) 12; 39 (1974) 39, 43
- Phosphopeptides 37 (1973) 183
- Phosphopyruvate hydratase 34 (1973) 243
- Phosphorylase b 31 (1973) 23; 33 (1973) 213; 36 (1973) 351
- Phosphorylase kinase phosphatase 34 (1973) 43
- Phosphorylase phosphatase 32 (1973) 284
- Phosphorylation
 of ADP 32 (1973) 91
 at second site 34 (1973) 43
 of chromatin 33 (1973) 247
 of granule membrane polypeptide 40 (1974) 202
 of histones 32 (1973) 270
 of nucleolar proteins 39 (1974) 125, 129
 of nucleoside diphosphate kinase 38 (1974) 225
 of proteins of RNR-particles 36 (1973) 105
 of sugars 31 (1973) 111
- Phosphotransacetylase 37 (1973) 203
- Photochemical reaction centre, see *Chromatophores*
- Photodissociation of CO-cytochrome P_{450} 35 (1973) 86
- Photophosphorylation 31 (1973) 119; 39 (1974) 345
 in chloroplasts 36 (1973) 61
 of adenine nucleotide analogues 33 (1973) 293
- Photopotential of chlorophyll 34 (1973) 147
- Photoreaction of psoralen 35 (1973) 243
- Photoreactions in spinach chloroplasts 38 (1973) 112
- Photoredoxin of *Rhodospseudomonas spheroides* 36 (1973) 169
- Photosynthesis 31 (1973) 225; 39 (1974) 206
 complexes, see *Complexes*
 in bacterial systems 33 (1973) 119
 orientation of chlorophyll-a, in the functional membrane 36 (1973) 207
 role of plastoquinone 38 (1974) 311
- Photosystem I 31 (1973) 119, 308; 32 (1973) 157; 36 (1973) 61; 38 (1974) 243
- Photosystem II 31 (1973) 119, 308; 33 (1973) 28; 38 (1973) 116; 38 (1974) 243; 39 (1974) 337
- Phylogenetic distance between prokaryotes and eukaryotes 40 (1974) 97
- Physarum polycephalum* plasma motility 34 (1973) 40
- Phytanol 32 (1973) 84

| | |
|---|--|
| Phytohemagglutinin | 34 (1973) 58; 35 (1973) 117; 38 (1973) 23 |
| Pineal gland | 31 (1973) 261 |
| Ping pong bi bi mechanism | 32 (1973) 184 |
| Pituitary | |
| plasma membranes, interaction with LH-RH | 34 (1973) 24 |
| Placenta epoxidase-cyclase activity | 34 (1973) 238 |
| Plasma membranes | 39 (1974) 267 |
| adenovirus uncoating | 35 (1973) 15 |
| effect of ACTH and cAMP | 38 (1974) 197 |
| from immature brain | 38 (1973) 79 |
| insulin receptor | 34 (1973) 259 |
| interaction with LH-RH | 34 (1973) 24 |
| Plasmocytoma DNA reassociation | 35 (1973) 7 |
| Plastids, see <i>Chloroplasts</i> | |
| Plastocyanins | 38 (1974) 205 |
| denaturation | 34 (1973) 103 |
| Plastoquinone, role in electron transport pathway | 38 (1974) 311 |
| Platelet contractile system | 34 (1973) 315 |
| Poly-A | 39 (1974) 235 |
| -containing RNA in mitochondria | 37 (1973) 260 |
| in globin mRNA | 38 (1974) 179 |
| -rich sequence of mRNA | 32 (1973) 213 |
| sequences in plant RNA | 34 (1973) 31 |
| synthesis primed by poly-dT-poly-A | 33 (1973) 245 |
| Polyadenylic acid, see <i>Poly-A</i> | |
| Poly (ADP-ribose) glycohydrolase | 36 (1973) 334 |
| Polydeoxyribonucleotides, reaction with psoralen | 35 (1973) 243 |
| Poly-G | 39 (1974) 283 |
| Polycyclic hydrocarbons | 34 (1973) 63 |
| Poly-L-lysine | 31 (1973) 119 |
| Polylysine agarose, purification of bacteriophage T4 | 37 (1973) 70 |
| Polynucleotide | |
| phosphorylase | 31 (1973) 47 |
| -protein crosslinking | 38 (1974) 299, 304, 308 |
| Polynucleotides | |
| apurinization | 33 (1973) 15 |
| see also <i>Polydeoxyribonucleotides; Polyribonucleotides</i> | |
| Polyoma virus | 31 (1973) 222; 32 (1973) 69 |
| Polypeptides | |
| CD studies | 35 (1973) 148 |
| from erythrocyte membranes | 36 (1973) 79 |
| from zymogen granule membrane | 40 (1974) 203 |
| Polyprenols | 34 (1973) 201 |
| Polyribonucleotide sequence analysis | 33 (1973) 143; 36 (1973) 301; 40 (1974) 183, 187 |
| Polyribosomes | |
| effect of puromycin analogues | 40 (1974) 124 |
| for insulin synthesis | 33 (1973) 225 |
| of encephalomyocarditis (EMC) virus-infected cells | 38 (1973) 7 |
| of greening bean leaves | 38 (1973) 67 |
| of thyroid gland | 33 (1973) 65 |
| synthesis of liver ferritin | 37 (1973) 249 |
| Polysaccharides | 32 (1973) 195 |
| Polysomal | |
| messenger RNP see <i>Ribonucleoprotein particles</i> | |
| RNA with globin template activity | 32 (1973) 218 |
| Polysomes see <i>Polyribosomes</i> | |
| Porphyrin synthesis, effect of lactate | 40 (1974) 173 |

| | |
|---|--|
| Post-mortem glycogen degradation | 31 (1973) 324 |
| Potassium | 39 (1974) 291 |
| activation of γ -glutamyltranspeptidase | 31 (1973) 237 |
| binding to carbonyl oxygen | 34 (1973) 222 |
| distribution in lysosomes | 33 (1973) 233 |
| effect on | |
| calcium release in sarcoplasmic reticulum | 34 (1973) 299 |
| citrate synthase | 39 (1974) 252 |
| glycolysis | 36 (1973) 213 |
| pyruvate kinase | 37 (1973) 225 |
| TMV reconstitution | 35 (1973) 54 |
| gradient in chloroplast membranes and ATP synthesis | 36 (1973) 143 |
| influx in cells | 31 (1973) 127 |
| inhibition of cell fusion | 32 (1973) 296 |
| see also <i>Cation</i> | |
| transport | 34 (1973) 117; 38 (1973) 42 |
| Pregnancy zone protein | 38 (1973) 23 |
| Pregnenolone | 31 (1973) 321 |
| Progesterone | 34 (1973) 179; 39 (1974) 221 |
| Proinsulin | 33 (1973) 225 |
| Prokaryote DNA, interaction with histones | 34 (1973) 133 |
| Prolactin cells (GH ₃), TRF binding | 38 (1974) 129 |
| Prostaglandins | 31 (1973) 269; 36 (1973) 193 |
| A ₂ and E ₂ , specificity of antisera | 37 (1973) 192 |
| E ₁ | 34 (1973) 85 |
| F2 α | 34 (1973) 179 |
| Protamine | 32 (1973) 339 |
| Protease | |
| inhibitor | 33 (1973) 343; 38 (1973) 106; 38 (1974) 217 |
| -like activity of low density lipoprotein | 40 (1974) 265 |
| specific for lysine | 38 (1974) 228 |
| Proteases | 36 (1973) 31; 38 (1974) 292 |
| Protein | |
| amino acid sequence analysis | 33 (1973) 135; 35 (1973) 97; 36 (1973) 285 |
| chlorophyll | 34 (1973) 147 |
| denaturation | 40 (1974) 18 |
| factors, role in protein synthesis | 32 (1973) 205 |
| inhibitor, see <i>Protease inhibitor</i> | |
| kinase | 31 (1973) 246; 33 (1973) 65; 36 (1973) 253; 37 (1973) 37; 39 (1974) 125; 40 (1974) 203 |
| -lipid interaction | 32 (1973) 30; 38 (1974) 247 |
| methylase | 35 (1973) 236 |
| mobility in membranes | 40 (1974) 33 |
| 14-3-2, of rat brain | 40 (1974) 154 |
| -polynucleotide cross-linking | 38 (1974) 299, 304, 308 |
| -RNA interactions in ribosomes | 37 (1973) 17 |
| synthesis | 31 (1973) 53; 32 (1973) 15, 149, 277 |
| effect of aflatoxin B ₁ | 32 (1973) 347 |
| inhibition by antibiotics | 38 (1974) 237 |
| initiation with mischarged tRNA ^{Met} _f | 37 (1973) 166 |
| in mitochondria | 31 (1973) 93 |
| in postmitochondrial supernatants | 35 (1973) 169 |
| in virus-infected cells | 38 (1974) 295 |
| in yeast | 38 (1973) 96 |
| of phage M13 | 35 (1973) 155 |
| on mitochondrial ribosomes | 36 (1973) 102 |
| see also <i>Cell-free system</i> | |
| translational control | 32 (1973) 205 |

| | |
|--|---|
| transport | 39 (1974) 332 |
| Proteinase, see <i>Protease</i> | |
| Proteins | |
| characterization by a two-dimensional technique | 40 (1974) 192 |
| containing copper | 38 (1974) 205 |
| high affinity for dRNA | 40 (1974) 101 |
| of chloroplasts | 31 (1973) 308 |
| of chromosomal, non-histone origin | 32 (1973) 41, 46 |
| of <i>E. coli</i> outer membranes | 39 (1974) 167 |
| of murine myeloma | 31 (1973) 80 |
| of nucleolus | 39 (1974) 125, 129 |
| of nucleus | 39 (1974) 129 |
| of 30S ribosomal subunits | 33 (1973) 132 |
| of RNP-particles of rat brain | 36 (1973) 105 |
| of tobacco mosaic virus | 34 (1973) 270; 39 (1974) 235 |
| of viruses | 39 (1974) 4 |
| see also <i>Hydrophobic proteins; Non-histone chromosomal proteins; Polypeptides; Ribosomal proteins</i> | |
| Proteoglycans | 31 (1973) 170; 39 (1974) 255 |
| Proteolipids, receptor function | 33 (1973) 45 |
| Proteoliposome of bacteriorhodopsin | 39 (1974) 39 |
| Proteolytic enzymes, see <i>Protease</i> | |
| Prothrombin | 32 (1973) 343; 36 (1973) 313; 38 (1974) 345 |
| Protochlorophyll holochrome from <i>Hordeum vulgare</i> L. mutants | 38 (1973) 75 |
| Protochlorophyllide | 37 (1973) 103 |
| Proton | |
| gradient | 32 (1973) 91; 33 (1973) 233 |
| transport | |
| by ATPase | 40 (1974) 1 |
| in membranes | 31 (1973) 241 |
| uptake catalysed by chromatophores | 35 (1973) 204 |
| Proton magnetic resonance (PMR) | |
| effect of water | 34 (1973) 109 |
| of BPTI | 31 (1973) 114 |
| of ribonuclease A | 33 (1973) 323 |
| see also <i>Nuclear magnetic resonance (NMR)</i> | |
| Protoporphyrin IX | 40 (1974) 258 |
| Prototetrahydroporphyrin IX | 40 (1974) 258 |
| Psoralen, photoreaction with DNA | 35 (1973) 243 |
| Pullulanase | 37 (1973) 269 |
| Pulse radiolysis of ferredoxin | 33 (1973) 259 |
| <i>N</i> -(Purin-6-ylcarbamoyl) threonine (t^6A) | 39 (1974) 301 |
| Purine | |
| nucleoside phosphorylase | 32 (1973) 235 |
| transport in yeast | 31 (1973) 313 |
| 6-(Purine-5'-ribosyltriphosphate)-4-(1,3-dinitrophenyl) thioether | 37 (1973) 338 |
| Purines | |
| position in oligonucleotides | 33 (1973) 15 |
| water environment | 31 (1973) 70 |
| Puromycin | 37 (1973) 166 |
| analogues, effect on polysomes | 40 (1974) 124 |
| derivative binding to ribosomes | 35 (1973) 137 |
| Puromycyl peptides, degradation in cells | 40 (1974) 297 |
| Pyridoxal-5'-phosphate | 31 (1973) 287; 36 (1973) 174; 39 (1974) 102 |
| Pyrimidines | |
| position in oligonucleotides | 33 (1973) 15 |
| water environment | 31 (1973) 70 |
| Pyrophosphate exchange in ATP | 35 (1973) 201 |

- L-Pyrrolidone carboxylic acid 33 (1973) 157
- Pyruvate
 carboxylase 37 (1973) 203
 dehydrogenase 37 (1973) 51, 170
 effect on nitrogen fixation 36 (1973) 96; 39 (1974) 17
 kinase 32 (1973) 257; 34 (1973) 243; 36 (1973) 297, 305; 37 (1973) 109, 225, 281; 38 (1974) 254
- Quantum mechanics
 alkali ion binding 34 (1973) 222
 study 31 (1973) 70
 of nucleotides 33 (1973) 147
- Radioactive labelling, see *Labelling*
- Radio immunoassay
 of amphetamines 36 (1973) 339
 of calcitonin 38 (1974) 209
 of T₃ and T₄ 40 (1974) 13
- Reaction kinetics, see *Enzyme kinetics*
- Receptor, see also *Acetylcholine receptor; Cholinergic receptor; Estradiol receptor; Insulin receptor; Pituitary receptor; etc.*
- Receptor protein
 for glucocorticosteroids 33 (1973) 184
 for phage T₅ and colicin M 34 (1973) 77
- Regenerating liver 32 (1973) 251, 270
 activity of DNA polymerase 36 (1973) 235
 5-bromodeoxyuride incorporation into DNA 37 (1973) 298
- Regulation in *E. coli* 34 (1973) 327
- Regulation of translation 32 (1973) 205
- Rennin 34 (1973) 189; 35 (1973) 250
- Replicative form of DNA (RF-DNA) 33 (1973) 177
- Respiration of *Halobacterium halobium*, inhibition by light 36 (1973) 72
- Respiratory chain,
 effect of ethidium bromide 37 (1973) 23
 cyanide insensitivity 35 (1973) 63, 106
- Retina gangliosides 35 (1973) 284
- Retinal rod outer segment
 membrane proteins 37 (1973) 285
 study of rhodopsin 38 (1974) 351
- Rhodopsin
 effect of *p*-mercuriphenyl-sulfonate 34 (1973) 137
 from retinal rod outer segments 38 (1974) 351
- Riboflavin, effect on enzymes 40 (1974) 224
- Ribonuclease 31 (1973) 181, 217; 32 (1973) 205; 40 (1974) 134
- Ribonuclease A, PMR study 33 (1973) 323
- Ribonuclease T₂ 39 (1974) 283
- Ribonuclease inhibitor 32 (1973) 205
- Ribonucleoprotein particles 36 (1973) 105; 37 (1973) 1; 40 (1974) 101
 see also *Informosomes*
- Ribo nucleoproteins 31 (1973) 35
- Ribonucleotides, incorporation into DNA 40 (1974) 339
- Ribose-5-phosphate, effect on formaldehyde metabolism 38 (1974) 274
- Ribosomal protein
 binding of streptomycin-analogue 37 (1973) 47
 50S 34 (1973) 337
 RNA binding site 35 (1973) 265
- Ribosomal proteins 32 (1973) 205; 34 (1973) 55
 fluorescence study 37 (1973) 234

| | |
|--|--|
| from <i>E. coli</i> | 36 (1973) 247, 250 |
| of <i>Halobacterium cutirubrum</i> | 37 (1973) 274 |
| of human placenta | 36 (1973) 217 |
| of prokaryotes and eukaryotes | 40 (1974) 97 |
| Ribosomal RNA (rRNA) | |
| alkylation | 32 (1973) 351 |
| and RNA polymerase I | 34 (1973) 159 |
| maturation | 35 (1973) 71 |
| synthesis | 32 (1973) 95 |
| 5S | 33 (1973) 315; 35 (1973) 327; 36 (1973) 39; 37 (1973) 333; 40 (1974) 106 |
| 5.8S | 35 (1973) 327 |
| 23S | 34 (1973) 337 |
| 30S | 31 (1973) 35 |
| affinity labelling | 37 (1973) 285 |
| Ribosomal subunits | |
| dihydro-streptomycin binding | 38 (1973) 19 |
| of post microsomal fraction | 37 (1973) 221 |
| study of association | 37 (1973) 112 |
| 30S | 30 (1973) 313; 31 (1973) 35, 273; 33 (1973) 11, 132; 34 (1973) 337; 39 (1974) 13 |
| inhibition of function by avilamycin | 36 (1973) 181 |
| 50S | 33 (1973) 315 |
| Ribosomes | 32 (1973) 55 |
| action of fusidic acid | 32 (1973) 152 |
| ADP-ribosylated translocation factor II | 38 (1974) 161 |
| association of virus-specific proteins | 39 (1973) 4 |
| -deficient chloroplasts | 37 (1973) 117 |
| dihydrostreptomycin binding | 38 (1973) 19 |
| effect of streptomycin | 37 (1973) 59 |
| inactivation by cloacin DF13 | 35 (1973) 161 |
| labelling by radioactive methylation | 37 (1973) 74 |
| of <i>E. coli</i> , binding of Q β RNA | 33 (1973) 339 |
| of mitochondria, effect of erythromycin | 36 (1973) 102 |
| production in <i>E. coli</i> | 35 (1973) 31 |
| protection against colicin E3 | 36 (1973) 277 |
| protein-RNA interaction | 37 (1973) 17 |
| recognition of tRNA | 36 (1973) 39 |
| release of initiation factor upon dilution | 40 (1974) 335 |
| Ribothymidine | 36 (1973) 34 |
| Ribulose-1, 5-diphosphate carboxylase | 37 (1973) 329; 38 (1973) 4, 67 |
| Ricin | 35 (1973) 117 |
| Rifampicin | 33 (1973) 245 |
| effect on mitochondrial DNA | 34 (1973) 106 |
| RNA | |
| binding of 50S ribosomal protein | 35 (1973) 265 |
| -binding protein factor | 32 (1973) 310 |
| complementary to repetitious DNA | 32 (1973) 313 |
| containing 5-fluoro-cytidine | 32 (1973) 281 |
| -DNA hybridization | 31 (1973) 222; 32 (1973) 313; 38 (1974) 184 |
| in situ | 31 (1973) 85 |
| of immunoglobulin mRNA | 40 (1974) 157 |
| of κ -chain mRNA | 40 (1974) 92 |
| of mitochondrial DNA | 36 (1973) 232 |
| of phage SP01 RNA | 34 (1973) 172 |
| of phage T ₄ -DNA | 34 (1973) 99 |
| of T ₇ -mRNA | 33 (1973) 335 |
| of murine sarcoma virus | 33 (1973) 61 |
| of phage SV40 | 39 (1974) 249 |
| of plants, poly-A sequences | 34 (1973) 31 |

- polymerase 31 (1973) 53, 209; 34 (1973) 159; 35 (1973) 133; 37 (1973) 159; 39 (1974) 91
- initiation factor 34 (1973) 27
- manganese requirement 36 (1973) 5
- of *E. coli* and phage T₃ 36 (1973) 123
- of *Physarum polycephalum* 35 (1973) 41
- of T₇ 33 (1973) 335
- of *T. Uquaticus* 38 (1974) 277
- of virus-infected *Bacillus subtilis* 34 (1973) 172
- polymerase III of KB cells 35 (1973) 331
- precursors of *E. coli* mutant 34 (1973) 273
- protein interaction in ribosomes 37 (1973) 17
- see also *Messenger RNA; Ribosomal RNA; Transfer RNA; Mitochondrial RNA; Double-stranded RNA; etc.*
- synthesis 31 (1973) 53
- effect of food intake 37 (1973) 159
- effect of glucocorticosteroids 33 (1973) 184
- in brain cells 34 (1973) 165
- in isolated chloroplast 36 (1973) 116
- in the mitotic cycle 38 (1974) 184
- initiation 36 (1973) 123
- manganese requirement 36 (1973) 5
- of chromatin 40 (1974) 77
- on tryptophan operon 40 (1974) 80
- stimulation by cyclic AMP 33 (1973) 239
- tritium labelling 39 (1974) 263
- RNP particles, see also *Informosomes* or *Ribonucleoprotein particles*.
- Saccharomyces carlsbergensis*, NADP-dependent GDH lacking mutant 32 (1973) 265
- Satellite DNA 31 (1973) 327
- Schardinger dextrins, inhibition of pullulanase 37 (1973) 269
- 9-Seco-cholesta-5(10)-6,8-triene 33 (1973) 331
- Sedoheptulose-7-phosphate: D-Glyceraldehyde-3-phosphate glycolaldehyde transferase 40 (1974) 114
- Selenium 32 (1973) 132; 33 (1973) 172
- Sendai virus 31 (1973) 127
- induced cell fusion 40 (1974) 331
- Sepharose derivatives 33 (1973) 70
- Sequence analysis of oligoribonucleotides 31 (1973) 47
- Serotonin 31 (1973) 193, 261
- Serum albumin, see *Albumin*
- Seryl-tRNA 39 (1974) 359
- SH-group activation of thiol enzymes 38 (1974) 187
- SH-reagents 39 (1973) 13
- Shift up, see *Nutritional shift-up*
- Sideramines biosynthesis in fungi 36 (1973) 323
- Simian virus 40 (SV40) endonuclease 34 (1973) 193
- Skeletal muscle phosphorylase 33 (1973) 213
- Sodium 31 (1973) 237
- activation of γ -glutamyl transpeptidase 38 (1974) 325
- affinity of (Na⁺ + K⁺) dependent ATPase 34 (1973) 222
- binding to carbonyl oxygen 39 (1974) 54
- dithionite 36 (1973) 213
- effect on glycolysis 35 (1973) 54
- effect on TMV reconstitution 31 (1973) 75
- intestinal absorption
- see also *Cation*
- transport, effect of cIMP 34 (1973) 207
- uptake 39 (1974) 209
- valinomycin complexation in membranes 40 (1974) 357

| | |
|--|--|
| Solid phase Edman degradation, see <i>Edman degradation</i> | |
| Sphingosines of retina gangliosides | 38 (1974) 261 |
| Squalene epoxidase-cyclase | 34 (1973) 238 |
| Starch grains hydrolysis | 31 (1973) 203 |
| Stellacyanin | 38 (1974) 205 |
| Sterol synthesis in human placenta | 34 (1973) 238 |
| Steroid | |
| hormones | 33 (1973) 301; 39 (1974) 221 |
| 15 α -hydroxylation | 31 (1973) 292 |
| 26-hydroxylase | 31 (1973) 20 |
| Steroidogenesis in adrenal carcinoma cells | 38 (1974) 197 |
| Steroids, see also <i>Glucocorticosteroids</i> | |
| Streptococcal group C carbohydrates | 39 (1974) 160 |
| Streptomycin | |
| analogue, binding to ribosomal proteins | 37 (1973) 47 |
| effect on ribosomes | 37 (1973) 59 |
| resistant mutants of <i>Chlamydomonas reinhardtii</i> | 38 (1973) 19 |
| Striated muscle, different forms of troponin | 40 (1974) 253 |
| Subcellular organelles, effect of compression | 36 (1973) 163 |
| Substance X-320 | 39 (1974) 206 |
| Substrate elution chromatography, purification of acetoacetate-succinate CoA-transferase | 36 (1973) 155 |
| Subtilisin BPN' | 33 (1973) 54 |
| peptide interaction | 34 (1973) 333 |
| Succinate | |
| cytochrome <i>c</i> reductase | 34 (1973) 256 |
| dehydrogenase | 35 (1973) 103; 36 (1973) 99; 39 (1974) 139 |
| oxidase, effect of zinc ions | 40 (1974) 200 |
| (rotenone) oxidation | 32 (1973) 339 |
| Succinic semi-aldehyde dehydrogenase | 37 (1973) 207 |
| Succinic thiokinase | 31 (1973) 317 |
| Succinyl-CoA: 3-oxoacid CoA-transferase | 37 (1973) 155 |
| Succinylation, effect on membranes | 35 (1973) 195 |
| Sucrose | 35 (1973) 303 |
| Sugars, see <i>Hexoses</i> | |
| Sulphatase | 39 (1974) 49 |
| Sulfate | |
| activation of phosphofructokinase | 38 (1974) 354 |
| incorporation in chondrocytes | 37 (1973) 42 |
| transport in <i>S. cerevisiae</i> | 38 (1974) 361 |
| Sulfenyl halides | 32 (1973) 135 |
| Sulfhydryl-disulfide interchange enzyme | 37 (1973) 238 |
| Sulphide-cytochrome <i>c</i> reductase | 34 (1973) 235 |
| Superoxide dismutase | 32 (1973) 119, 303; 39 (1974) 154 |
| activity of hepatocuprein | 39 (1974) 164 |
| Superoxide ion | 39 (1974) 79 |
| Suppressor mutations in yeast | 38 (1974) 96 |
| SV40 cRNA | 39 (1974) 249 |
| SV40 tumor antigen | 39 (1974) 249 |
| Synaptosomal choline uptake | 35 (1973) 141 |
| Synthesis in biological systems | 35 (1973) 175 |
| Teichoic acid-synthesising system | 34 (1973) 15 |
| Temperature | |
| effect on | |
| bacterial membrane binding sites | 36 (1973) 265 |
| flagellin of <i>Proteus mirabilis</i> | 36 (1973) 318 |
| 30 S ribosomal subunit formation | 34 (1973) 337 |
| -sensitive glycerol kinase | 35 (1973) 67 |

| | |
|--|-----------------------------------|
| Template RNA, see <i>Messenger RNA (mRNA)</i> | |
| Terato carcinoma cells | 33 (1973) 351 |
| Testis | |
| interstitial tissue, effect of LH | 33 (1973) 114 |
| steroid metabolism | 31 (1973) 321 |
| Testosterone | 31 (1973) 321, 33 (1973) 114, 218 |
| Tetrabutylammonium (TBA ⁺) | 31 (1973) 241 |
| Tetraphenylboron (TPB ⁻) | 39 (1974) 67 |
| Theophylline | 31 (1973) 269 |
| Thiamine pyrophosphate | 40 (1974) 114 |
| Thiol-protein disulfide oxidoreductase | 37 (1973) 238 |
| Thiolsubtilisin | 38 (1974) 187 |
| Thiotransferases | 38 (1974) 263 |
| Threonine deaminase | 35 (1973) 273 |
| Threonyl-tRNA-synthetase | 39 (1974) 182 |
| Thrombin, conversion from prothrombin | 38 (1974) 345 |
| Thyidine analog BUdR | 38 (1974) 282 |
| Thylakoid membrane | 39 (1974) 206 |
| Thymidine kinase in yeast mitochondria | 40 (1974) 84 |
| Thymine | 31 (1973) 70 |
| Thymus cell culture, transport of potassium | 38 (1973) 42 |
| Thyroid | |
| gland cells, effect of LATS and TSH | 32 (1973) 299 |
| hormone | 31 (1973) 20 |
| stimulation hormone (TSH) | 32 (1973) 299 |
| Thyrotropin | |
| releasing hormone (TRH) | 31 (1973) 59; 38 (1974) 129 |
| see <i>Thyroid stimulating hormone (TSH)</i> | |
| L-Thyroxine (T4) | 40 (1974) 13 |
| TMB-4 | 39 (1974) 61 |
| Toad bladder cAMP formation | 34 (1973) 204, 207 |
| Tobacco mosaic virus | |
| 06 (TMV-06) coat protein | 34 (1973) 270 |
| proteins | 39 (1974) 235 |
| reconstitution | 34 (1973) 19; 35 (1973) 54 |
| RNA | 38 (1974) 287 |
| Tocopherol, see <i>Vitamin E</i> | |
| L-1-Tosylamido-2-phenylethyl chloromethyl ketone | 34 (1973) 81; 39 (1974) 96 |
| L-1-Tosylamido-2-phenylethyl diazomethyl ketone (TPDK) | 37 (1973) 200 |
| Toxogonin | 39 (1974) 61 |
| Toxohormone, effect on hepatic catalase | 36 (1973) 343 |
| TPN(H) see <i>NADP(H)</i> | |
| Transcription | |
| see <i>RNA synthesis</i> | |
| —translation coupling | 40 (1974) 80 |
| Transfer RNA (tRNA) | |
| binding factors | 39 (1974) 96 |
| formylation | 34 (1973) 327 |
| hydrogen exchange | 33 (1973) 7 |
| in embryogenesis | 33 (1973) 327 |
| interaction with ribosomes | 33 (1973) 11 |
| loading with <i>N</i> -chlorambucil-phenylalanine | 39 (1974) 287 |
| occurrence of methylated bases | 36 (1973) 34 |
| precursor | |
| in yeast | 37 (1973) 129 |
| of bacteriophage T4 | 40 (1974) 312 |
| recognition by the ribosome | 36 (1973) 39 |

| | |
|--|------------------------------|
| t ⁶ A nucleoside synthesis | 39 (1974) 301 |
| Transferrin | 33 (1973) 289 |
| of human serum | 40 (1974) 146 |
| Transformation of lymphocytes | 38 (1973) 23 |
| Transhydrogenase | 31 (1973) 27; 38 (1974) 263 |
| effect of zinc ions | 40 (1974) 200 |
| Transketolase of brewer's yeast | 40 (1974) 114 |
| Translational control | 32 (1973) 205 |
| Translocation | |
| factor II | 38 (1974) 161 |
| see <i>Transport</i> | |
| stimulation by SH-reagents | 39 (1974) 13 |
| Transport, see <i>Calcium transport; Glutamate transport; Magnesium transport; NADH transport; Membrane transport; Potassium transport; Purine transport; Sodium transport, etc.</i> | |
| Trenimon | 35 (1973) 336 |
| Tricarboxylate transport | 39 (1974) 133 |
| Triethylene iminobenzoquinone (Trenimon) | 35 (1973) 336 |
| p-Trifluoromethoxycarbonyl cyanide phenylhydrazine (FCCP) | 31 (1973) 241 |
| Triglyceride lipase | 35 (1973) 279; 37 (1973) 264 |
| of tongue and pancreas | 40 (1974) 119 |
| see (also) <i>Lipoprotein lipase</i> | |
| Triglycerides | 39 (1974) 88, 243 |
| Triiodothyronine | 31 (1973) 20; 33 (1973) 125 |
| Triiodothyronine (T3) | 39 (1974) 243 |
| 3,5,3'-Triiodo-L-thyronine (T3) | 40 (1974) 13 |
| 1-(N,N,N-Trimethylammonium)-6-hexylamine bromide | 35 (1973) 220 |
| 1,1'-Trimethylene-bis-(4-formylpyridinium bromide) dioxime, see TMB-4 | |
| Triose phosphate | 39 (1974) 349 |
| Triphosphopyridine nucleotide see <i>NADP</i> | |
| Tripyrrane incorporation into uroporphyrinogen I | 38 (1974) 134 |
| Troponin | |
| C, of rabbit skeletal muscle | 36 (1973) 268 |
| of striated muscle | 40 (1974) 253 |
| system, 37000 dalton component | 38 (1974) 357 |
| Tropomyosin binding component of troponin | 38 (1974) 357 |
| Trypsin | 31 (1973) 149; 33 (1973) 54 |
| effect of ergosterol | 38 (1973) 119 |
| effect on nicotinic acid oxidase | 38 (1973) 57 |
| inhibitor of lima bean | 38 (1973) 106 |
| porcine | 32 (1973) 218 |
| Trypsinogen activation peptide | 34 (1973) 251 |
| Tryptophan | |
| analogues, effect on tyrosine transaminase | 40 (1974) 139 |
| effect on pyruvate dehydrogenase | 36 (1973) 96 |
| operon | 40 (1974) 80 |
| repressor, repression of tryptophan operon RNA synthesis | 40 (1974) 80 |
| L-Tryptophan modification | 33 (1973) 181 |
| Tryptophan 5-monooxygenase | 40 (1974) 88 |
| Tryptophanyl peptide bond | 32 (1973) 139 |
| Tryptophanyl-tRNA | 39 (1974) 310 |
| Tryptophase | 40 (1974) 41 |
| Tumor | |
| cells, OTT | 33 (1973) 351 |
| lymphoid tissue, block in ganglioside biosynthesis | 37 (1973) 124 |
| Tumors, see also <i>Neoplasia</i> | |
| Tyrosine ethyl esterase, effect of p-chloromercuribenzoate | 37 (1973) 120 |
| Tyrosine transaminase | 39 (1974) 218 |
| effect of tryptophan analogues | 40 (1974) 139 |

| | |
|---|--------------------------------|
| UDP-galactose | 34 (1973) 201 |
| UDP glucuronic acid | 39 (1974) 144 |
| UDP-glucose | 34 (1973) 201; 36 (1973) 157 |
| UDP-N-acetyl-D-glucosamine | 39 (1974) 46 |
| UDP-N-acetyl-D-glucosaminuronic acid | 39 (1974) 46 |
| UDP-N-acetyl-D-mannosaminuronic acid | 39 (1974) 46 |
| UDP glucuronyltransferase | 32 (1973) 273 |
| Umbilical cord, glucose utilization | 31 (1973) 277 |
| Uranium dioxide, prevention of haemolysis during cell fusion | 40 (1974) 331 |
| Urea cycle, purification of carbamoyl phosphate synthetase | 37 (1973) 79 |
| Urea, effect on crystallization | 31 (1973) 189 |
| Uric acid | 31 (1973) 313 |
| Uridine-oligonucleotides | 32 (1973) 55 |
| Uridine diphosphate see <i>UDP</i> | |
| Uroporphyrinogen I | 38 (1974) 134 |
| | |
| L-Valine derivative | 34 (1973) 213 |
| Valinomycin | 32 (1973) 15; 40 (1974) 1, 229 |
| -induced ATP synthesis | 36 (1973) 143 |
| -sodium complexation in membranes | 40 (1974) 357 |
| uptake of amino acid uptake | 37 (1973) 244 |
| Valyl-tRNA | 39 (1974) 56 |
| Valyl-tRNA synthetase | 34 (1973) 213 |
| f-Valyl-tRNA ^{Met} , initiation of protein synthesis | 37 (1973) 166 |
| Vasopressin | 31 (1973) 269; 34 (1973) 204 |
| Very high density lipoproteins (VHDLF) | 34 (1973) 48 |
| Very low density lipoproteins (VLDL) | 39 (1974) 275 |
| Vinylacetyl-CoA-isomerase | 33 (1973) 81 |
| Vitamin B ₁₂ | 35 (1973) 295 |
| Vitamin E | 33 (1973) 172 |
| Vitamin K | 37 (1973) 144 |
| | |
| Warfarin | 37 (1973) 144 |
| Water | |
| environment, effect on DNA bases | 31 (1973) 70 |
| transport, effect of cIMP | 34 (1973) 207 |
| Wheat embryo cell-free system | 33 (1973) 23 |
| | |
| X-320, primary acceptor of photosystem II | 38 (1973) 116 |
| X-ray | |
| crystallography of cytochrome <i>c</i> | 31 (1973) 186 |
| diffraction of abrin | 35 (1973) 257 |
| study of | |
| acetylcholine receptor protein | 40 (1974) 130 |
| high density lipoprotein | 40 (1974) 213 |
| | |
| Zeaxanthin | 33 (1973) 205 |
| Zinc-binding protein | 40 (1974) 176 |
| Zinc | |
| -ATP complex | 39 (1974) 73 |
| effect on oxidation | 40 (1974) 200 |
| in metallothioneins | 39 (1974) 229 |
| presence in carboxypeptidase | 40 (1974) 302 |
| Zonal centrifugation of nuclei | 33 (1973) 18 |